

# LOCKS, KNOBS,

—AND—

# HARDWARE,

MANUFACTURED BY

# BRANFORD LOCK WORKS.

---

Factories and Principal Office:

BRANFORD, CONNECTICUT, U. S. A.

---

New York Office and Salesroom: 94 Chambers St.

---

WAREHOUSES

Where samples and stock of our goods will be found:

LLOYD & SUPPLEE HARDWARE CO., Philadelphia, Pa.

B. CALLENDER & CO., Boston, Mass.

S. G. B. COOK & CO., Baltimore, Md.

---

July 1st, 1886.

# INDEX.

	PAGE	
<b>A</b>		
ANTI-FRICTION STRIKERS, . . . . .	172	
AXLE PULLEYS, Anti-Friction, . . . . .	439-441	
Noiseless, . . . . .	437, 438	
<b>B</b>		
BARS, Shutter, . . . . .	414	
BELL PULLS, . . . . .	389-397	
Gong, . . . . .	399, 401	
Lever, . . . . .	398, 400	
BOLTS, Flush, . . . . .	427-430	
BOLT KNOBS, Mortise, . . . . .	384	
BOLTS, Mortise Thumb, . . . . .	212, 213	
BUTTS, Door, . . . . .	404-411	
Parliament, . . . . .	412	
Shutter, . . . . .	413	
BUTTONS, Electric Push, . . . . .	402, 403	
<b>C</b>		
CATCHES, French Window, . . . . .	423	
CHAIN DOOR FASTS, . . . . .	431, 432	
Classified List of Keys, Rim and Mortise, . . . . .	343-349	
Strikers, Rim and Mortise, . . . . .	350-363	
CLOSET KNOBS, . . . . .	385	
Combined Rose and Escutcheons, . . . . .	321-337	
CRANK KNOBS, . . . . .	386	
and Handles, . . . . .	388	
CUP ESCUTCHEONS, Flush, . . . . .	98-105	
CUP AND LEVER HANDLES, Flush, . . . . .	102-104	
CUP AND T HANDLES, Flush, . . . . .	100-103	
CUPBOARD TURNS, . . . . .	423	
<b>D</b>		
DEAD LOCKS, Mortise, 1 $\frac{3}{4}$ inch, Flat Front, . . . . .	204, 205	
Mortise, 2 $\frac{3}{4}$ inch, Flat Front, . . . . .	206, 207	
Mortise, 3 $\frac{1}{4}$ inch, Flat Front, . . . . .	208, 209	
Mortise, 3 $\frac{3}{8}$ inch, Flat Front, . . . . .	210, 211	
Mortise, for Store Doors, 3 inch, Flat Front, . . . . .	214-217	
Mortise, for Store Doors, 3 inch, Rabbeted Front, . . . . .	218-221	
Mortise, Sliding-Door, 4 inch, Flat Front, . . . . .	66	
Rim, Horizontal, 2 $\frac{7}{8}$ inch, . . . . .	278, 279	
Rim, Horizontal, 3 $\frac{3}{8}$ inch, . . . . .	278, 279	
Rim, Horizontal, 4 inch, . . . . .	280, 281	
Rim, Horizontal, 5 inch, . . . . .	282, 283	
Rim, Horizontal, 6 inch, . . . . .	284	
Rim, Horizontal, 7 inch, . . . . .	285	
DEAD LOCKS, Rim, Horizontal, for Store Doors, 5 inch, . . . . .	291	
Rim, Horizontal, for Store Doors, 6 inch, . . . . .	291	
Rim, Horizontal, for Store Doors, 7 inch, . . . . .	292	
Rim, Horizontal, for Store Doors, 8 inch, . . . . .	292	
Rim, Upright, for Store Doors, 4 inch, . . . . .	286	
Rim, Upright, for Store Doors, 5 inch, . . . . .	287	
Rim, Upright, for Store Doors, 5 $\frac{1}{2}$ inch, . . . . .	288	
Rim, Upright, for Store Doors, 5 $\frac{1}{2}$ inch, with Cylinder, . . . . .	290	
Rim, Upright, for Store Doors, 6 inch, . . . . .	289	
DOOR BUTTS, . . . . .	404-411	
DOOR FASTENERS, Chain, . . . . .	431, 432	
DOOR KNOBS, . . . . .	365-383	
DOUBLE KEY-HOLE ESCUTCHEONS, . . . . .	318-320	
DRAWER HANDLES, Surface, . . . . .	426	
DRAWER KNOBS, . . . . .	364	
DRAWER PULLS, . . . . .	424-426	
DROP ESCUTCHEONS, . . . . .	314-317	
<b>E</b>		
ESCUTCHEONS, Drop, . . . . .	314-317	
Double Key-Hole, . . . . .	318-320	
Flush Cup, . . . . .	98-105	
Plate, . . . . .	305-313	
and Rose Combined, . . . . .	321-337	
ELECTRIC PUSH BUTTONS, . . . . .	402, 403	
<b>F</b>		
FASTENERS, Chain Door, . . . . .	431, 432	
Sash, . . . . .	421, 422	
FLAPS, Shutter, . . . . .	413	
FLUSH BOLTS, . . . . .	427-430	
FLUSH CUP ESCUTCHEONS, . . . . .	98-105	
FLUSH CUP AND LEVER HANDLES, . . . . .	102-104	
FLUSH CUP AND T HANDLES, . . . . .	100, 103	
FLUSH LEVER HANDLES, . . . . .	100	
FLUSH SASH LIFTS, . . . . .	416, 417	
FLUSH SLIDING-DOOR MORTISE LATCHES, . . . . .		
Astragal Front, . . . . .	74-77	
Flat Front, . . . . .	70-73	
FLUSH SLIDING-DOOR MORTISE LOCKS, . . . . .		
Astragal Front, . . . . .	90-97	
Flat Front, . . . . .	78-89	
FRENCH WINDOW CATCHES, . . . . .	423	

	PAGE
FRENCH WINDOW MORTISE LATCHES, Flat Front,	180-183
Rabbeted Front,	184, 185
FRENCH WINDOW MORTISE KNOB LOCKS,	
Flat Front,	54-56
Rabbeted Front,	54-56
FRONT DOOR MORTISE LOCKS, $4\frac{3}{4}$ inch, Flat Front,	
Straight Spindle, with Night Work,	106-112
FRONT DOOR MORTISE LOCKS, $4\frac{3}{4}$ inch, Rabbeted	
Front, Straight Spindle, with Night Work,	114-120
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Flat Front,	
Straight Spindle, without Night Work,	122-126
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Rabbeted	
Front, Straight Spindle, without Night	
Work,	123-127
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Flat Front,	
Straight Spindle, with Night Work,	128-134
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Rabbeted	
Front, Straight Spindle, with Night Work,	136-140
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Flat Front,	
Swivel Spindle, with Night Work,	142-146
FRONT DOOR MORTISE LOCKS, $5\frac{1}{2}$ inch, Rabbeted	
Front, Swivel Spindle, with Night Work,	148-152
FRONT DOOR MORTISE LOCKS, 7 inch, Flat Front,	
Swivel Spindle, with Night Work,	154-158
FRONT DOOR MORTISE LOCKS, 7 inch, Rabbeted	
Front, Swivel Spindle, with Night Work,	160-164
FRONT DOOR MORTISE LOCKS, 7 inch, Large Flat	
Front, Swivel Spindle, with Night Work,	166-170
FRONT DOOR RIM KNOB LOCKS, Upright, $4\frac{3}{4}$ inch,	256-259
Upright, 6 inch,	258

## G

GONG BELL PULLS,	399-401
------------------	---------

## H

HANDLES, Cup and Lever Flush,	102-104
Cup and T Flush,	100-103
Drawer, Surface,	426
Lever,	387
Lever Flush,	100
Store Door,	230-235
HANGERS, Sliding-Door,	443
HORIZONTAL RIM DEAD LOCKS, $2\frac{7}{8}$ inch,	278, 279
$3\frac{3}{8}$ inch,	278, 279
4 inch,	280, 281
5 inch,	282, 283
6 inch,	284
7 inch,	285
HORIZONTAL RIM DEAD LOCKS,	
for Store Doors, 5 inch,	291
HORIZONTAL RIM DEAD LOCKS,	
for Store Doors, 6 inch,	291
HORIZONTAL RIM DEAD LOCKS,	
for Store Doors, 7 inch,	292
HORIZONTAL RIM DEAD LOCKS,	
for Store Doors, 8 inch,	292
HORIZONTAL RIM KNOB LATCHES, $3\frac{1}{2}$ inch,	302

HORIZONTAL RIM KNOB LATCHES,	
$3\frac{5}{8}$ inch, with Slide Bolt,	300-303
HORIZONTAL RIM KNOB LATCHES,	
$3\frac{3}{4}$ inch, with Stop,	303
HORIZONTAL RIM KNOB LOCKS, $4\frac{1}{4}$ inch, Two-Bolt,	261-264
$4\frac{1}{4}$ inch, Three-Bolt,	265-267
5 inch, Two-Bolt,	268-270
5 inch, Three-Bolt,	271-273
6 inch, Two-Bolt,	274, 275
6 inch, Three-Bolt,	276, 277
HORIZONTAL RIM KNOB LOCKS,	
for Store Doors, 6 inch,	293
HORIZONTAL RIM KNOB LOCKS,	
for Store Doors, 7 inch,	294
HORIZONTAL RIM KNOB LOCKS,	
for Store Doors, 8 inch,	294
HORIZONTAL RIM NIGHT LATCHES, $3\frac{5}{8}$ inch,	295
$3\frac{3}{4}$ inch,	297
4 inch,	296
HORIZONTAL RIM NIGHT LATCHES,	
4 inch, with Cylinder,	298
$4\frac{1}{2}$ inch, with Cylinder,	299
HOOKS, Sash,	419
HOOK SASH LIFTS,	415
HOTEL MORTISE KNOB LOCKS,	
$3\frac{1}{2}$ inch, 24 changes, Flat Front,	28-30
HOTEL MORTISE KNOB LOCKS,	
$3\frac{1}{2}$ inch, 50 changes, Flat Front,	34-36
HOTEL MORTISE KNOB LOCKS,	
4 inch, 24 changes, Flat Front,	31-33
HOTEL MORTISE KNOB LOCKS,	
$4\frac{1}{2}$ inch, 50 changes, Flat Front,	37-39
HOTEL MORTISE KNOB LOCKS, Three-Bolt,	
$4\frac{1}{2}$ inch, 50 changes, Flat Front,	40-42
HOTEL MORTISE KNOB LOCKS, Three-Bolt,	
5 inch, 50 changes, Flat Front,	43-45
HOTEL MORTISE KNOB LOCKS, Three-Bolt,	
5 inch, 50 changes, Flat Front,	46-49
HOTEL MORTISE KNOB LOCKS,	
5 inch, 1800 changes, Flat Front,	50-53
HOTEL UPRIGHT RIM KNOB LOCKS, Two-Bolt,	
$4\frac{1}{8}$ inch, 24 changes,	259
HOTEL UPRIGHT RIM KNOB LOCKS, Three-Bolt,	
$4\frac{1}{8}$ inch, 24 changes,	259
HOTEL UPRIGHT RIM KNOB LOCKS, Three-Bolt,	
$5\frac{1}{2}$ inch, 50 changes,	260

## I

Illustrations of Keys, Rim and Mortise,	338-342
---	---------

## K

KEYS, Rim and Mortise, Classified List of,	343-349
Rim and Mortise, Illustrations of,	338-342
KNOBS, Closet,	385
Crank,	386
Crank and Handle,	388
Crank and T,	387-388

	PAGE
KNOBS, Door, . . . . .	365-383
Drawer, . . . . .	364
Mortise Bolt, . . . . .	384
Picture, . . . . .	364
Screen Door, . . . . .	367, 381
Shutter, . . . . .	364, 418
Thumb and Plate, . . . . .	57, 58
Turnbuckle, . . . . .	385

## L

LATCHES, Mortise Flush Sliding-Door, 4 inch, Astragal Front, . . . . .	74-77
Mortise Flush Sliding-Door, 4 inch, Flat Front, . . . . .	70-73
Mortise French Window, Flat Front, . . . . .	180-183
Mortise French Window, Rabbeted Front, . . . . .	184, 185
Mortise Knob, $2\frac{1}{4}$ inch, Flat Front, . . . . .	178-181
Mortise Knob, $2\frac{3}{8}$ inch, Rabbeted Front, . . . . .	186, 187
Mortise Knob, 3 inch, Rabbeted Front, . . . . .	188, 189
Mortise Knob, $3\frac{1}{4}$ inch, Flat Front, . . . . .	173-175
Mortise Knob, $3\frac{3}{8}$ inch, Flat Front, Thin Doors, . . . . .	173
Mortise Knob, $3\frac{3}{8}$ inch, Flat Front, . . . . .	176, 177
Mortise Knob, $3\frac{1}{2}$ inch, Rabbeted Front, . . . . .	184, 185
Mortise Night, $3\frac{1}{4}$ inch, Flat Front, . . . . .	198-201
Mortise Night, $3\frac{1}{2}$ inch, Flat Front, . . . . .	202, 203
Mortise Sliding-Door, 3 inch, Flat Front, . . . . .	190, 191
Mortise Sliding-Door, $3\frac{1}{4}$ inch, Astragal Front, . . . . .	192, 193
Mortise Sliding-Door, 4 inch, Flush Astragal Front, . . . . .	74-77
Mortise Sliding-Door, 4 inch, Flush Flat Front, . . . . .	70-73
Mortise Thumb Bolt, $3\frac{3}{8}$ inch, Flat Front, . . . . .	194, 195
Mortise Two Thumb Bolts, $3\frac{1}{2}$ inch, Flat Front, . . . . .	196, 197
Mortise Vestibule, $3\frac{3}{8}$ inch, Flat Front, Straight Spindle, . . . . .	107-113
Mortise Vestibule, $3\frac{3}{8}$ inch, Rabbeted Front, Straight Spindle, . . . . .	115-121
Mortise Vestibule, 4 inch, Rabbeted Front, Straight Spindle, . . . . .	137-141
Mortise Vestibule, $4\frac{1}{8}$ inch, Flat Front, Straight Spindle, . . . . .	129-135
Mortise Vestibule, $4\frac{1}{4}$ inch, Flat Front, Swivel Spindle, . . . . .	143-147
Mortise Vestibule, $4\frac{1}{4}$ inch, Rabbeted Front, Swivel Spindle, . . . . .	149-153
Mortise Vestibule, $4\frac{1}{2}$ inch, Flat Front, Swivel Spindle, . . . . .	155-159
Mortise Vestibule, $4\frac{1}{2}$ inch, Rabbeted Front, Swivel Spindle, . . . . .	161-165
Mortise Vestibule, $4\frac{1}{2}$ inch, Large Flat Front, Swivel Spindle, . . . . .	167-171
Rim Knob, Horizontal, $3\frac{1}{2}$ inch, . . . . .	302
Rim Knob, Horizontal, $3\frac{3}{8}$ inch, with Slide Bolt, . . . . .	300, 303
Rim Knob, Horizontal, $3\frac{3}{4}$ inch, . . . . .	302

	PAGE
LATCHES, Rim Knob, Horizontal, $3\frac{3}{4}$ inch, with Stop, . . . . .	303
Rim Knob, Upright, $3\frac{1}{4}$ inch, with Slide Bolt, . . . . .	301
Rim Night, Horizontal, $3\frac{3}{8}$ inch, . . . . .	295
Rim Night, Horizontal, $3\frac{3}{4}$ inch, . . . . .	297
Rim Night, Horizontal, 4 inch, . . . . .	296
Rim Night, Horizontal, 4 inch, with Cylinder, . . . . .	298
Rim Night, Horizontal, $4\frac{1}{2}$ inch, with Cylinder, . . . . .	299
LETTER-BOX PLATES, . . . . .	433, 434
LEVER BELL PULLS, . . . . .	398-400
LEVER HANDLES, . . . . .	387
Flush, . . . . .	100
Flush Cup, . . . . .	102-104
LIFTS, Sash, Flush, . . . . .	416, 417
Sash Hook, . . . . .	415
Surface Sash, . . . . .	420
LOCKS, Mortise Dead, $1\frac{3}{4}$ inch, Flat Front, . . . . .	204, 205
Mortise Dead, $2\frac{3}{8}$ inch, Flat Front, . . . . .	206, 207
Mortise Dead, $3\frac{1}{4}$ inch, Flat Front, . . . . .	208, 209
Mortise Dead, $3\frac{3}{8}$ inch, Flat Front, . . . . .	210, 211
Mortise Dead, for Store Doors, 3 inch, Flat Front, . . . . .	214-217
Mortise Dead, for Store Doors, 3 inch, Rabbeted Front, . . . . .	218-221
Mortise, for Store Door Handles, $4\frac{1}{4}$ inch, Flat Front, . . . . .	222-225
Mortise, for Store Door Handles, $4\frac{1}{4}$ inch, Rabbeted Front, . . . . .	226-229
Mortise Flush Sliding-Door, $5\frac{1}{2}$ inch, Astragal Front, . . . . .	90-97
Mortise Flush Sliding-Door, $5\frac{1}{2}$ inch, Flat Front, . . . . .	78-89
Mortise French Window, Flat Front, . . . . .	54-56
Mortise French Window, Rabbeted Front, . . . . .	54-56
Mortise Front Door, $4\frac{3}{4}$ inch, Flat Front, Straight Spindle, with Night Work, . . . . .	106-112
Mortise Front Door, $4\frac{3}{4}$ inch, Rabbeted Front, Straight Spindle, with Night Work, . . . . .	114-120
Mortise Front Door, $5\frac{1}{2}$ inch, Flat Front, Straight Spindle, without Night Work, . . . . .	122-126
Mortise Front Door, $5\frac{1}{2}$ inch, Rabbeted Front, Straight Spindle, without Night Work, . . . . .	123-127
Mortise Front Door, $5\frac{1}{2}$ inch, Flat Front, Straight Spindle, with Night Work, . . . . .	128-134
Mortise Front Door, $5\frac{1}{2}$ inch, Rabbeted Front, Straight Spindle, with Night Work, . . . . .	136-140
Mortise Front Door, $5\frac{1}{2}$ inch, Flat Front, Swivel Spindle, with Night Work, . . . . .	142-146
Mortise Front Door, $5\frac{1}{2}$ inch, Rabbeted Front, Swivel Spindle, with Night Work, . . . . .	148-152
Mortise Front Door, 7 inch, Flat Front, Swivel Spindle, with Night Work, . . . . .	154-158
Mortise Front Door, 7 inch, Rabbeted Front, Swivel Spindle, with Night Work, . . . . .	160-164
Mortise Front Door, 7 inch, Large Flat Front, Swivel Spindle, with Night Work, . . . . .	166-170

	PAGE
LOCKS, Mortise Knob, 3½ inch, 12 changes, Flat Front,	2, 3
Mortise Knob, 3½ inch, 24 changes, Flat Front,	4-6
Mortise Knob, 4 inch, 12 changes, Flat Front,	7
Mortise Knob, 4 inch, 24 changes, Flat Front,	8-10
Mortise Knob, for Thin Doors, 4¼ inch, 12 changes, Flat Front,	1
Mortise Knob, 4½ inch, 24 changes, Flat Front,	11-13
Mortise Knob, 4½ inch, 24 changes, Rabbeted Front,	59-61
Mortise Knob, Three-Bolt, 4½ inch, 24 changes, Flat Front,	18-20
Mortise Knob, Three-Bolt, 4¾ inch, 24 changes, Flat Front,	21-23
Mortise Knob, 5 inch, 24 changes, Flat Front,	14-17
Mortise Knob, Two Thumb Bolts, 5 inch, Flat Front,	24-27
Mortise Knob, French Window, 3½ inch, Flat Front,	54-56
Mortise Knob, French Window, 3½ inch, Rabbeted Front,	54-56
Mortise Knob, Master Keyed, 3½ inch, 24 changes, Flat Front,	28-30
Mortise Knob, Master Keyed, 3½ inch, 50 changes, Flat Front,	34-36
Mortise Knob, Master Keyed, 4 inch, 24 changes, Flat Front,	31-33
Mortise Knob, Master Keyed, 4½ inch, 50 changes, Flat Front,	37-39
Mortise Knob, Three-Bolt, Master Keyed, 4¼ inch, 50 changes, Flat Front,	40-42
Mortise Knob, Three-Bolt, Master Keyed, 5 inch, 50 changes, Flat Front,	43-45
Mortise Knob, Three-Bolt, Master Keyed, 5 inch, 50 changes, Flat Front,	46-49
Mortise Knob, Master Keyed, 5 inch, 1800 changes, Flat Front,	50-53
Mortise Sliding-Door, 4¼ inch, Flat Front,	62-65
Mortise Sliding-Door, 5 inch, Astragal Front,	67-69
Mortise Sliding-Door, Dead, 4 inch, Flat Front,	66
Rim Dead, Horizontal, 2⅝ inch,	278, 279
Rim Dead, Horizontal, 3⅝ inch,	278, 279
Rim Dead, Horizontal, 4 inch,	280, 281
Rim Dead, Horizontal, 5 inch,	282, 283
Rim Dead, Horizontal, 6 inch,	284
Rim Dead, Horizontal, 7 inch,	285
Rim Dead, Horizontal, for Store Doors, 5 inch,	291
Rim Dead, Horizontal, for Store Doors, 6 inch,	291
Rim Dead, Horizontal, for Store Doors, 7 inch,	292
Rim Dead, Horizontal, for Store Doors, 8 inch,	292
Rim Dead, Upright, for Store Doors, 4 inch,	286
Rim Dead, Upright, for Store Doors, 5 inch,	287
Rim Dead, Upright, for Store Doors, 5½ inch,	288
Rim Dead, Upright, for Store Doors, 5½ inch, with Cylinder,	290
Rim Dead, Upright, for Store Doors, 6 inch,	289
Rim Knob, Horizontal, 4¼ inch, Two-Bolt, 12 and 24 changes,	261-264
Rim Knob, Horizontal, 4¼ inch, Three-Bolt, 12 and 24 changes,	265-267

	PAGE
LOCKS, Rim Knob, Horizontal, 5 inch, Two-Bolt, 12 and 24 changes,	268-270
Rim Knob, Horizontal, 5 inch, Three-Bolt, 12 and 24 changes,	271-273
Rim Knob, Horizontal, 6 inch, Two-Bolt, 12 and 24 changes,	274, 275
Rim Knob, Horizontal, 6 inch, Three-Bolt, 12 and 24 changes,	276, 277
Rim Knob, Horizontal, for Store Doors, 6 inch,	293
Rim Knob, Horizontal, for Store Doors, 7 inch,	294
Rim Knob, Horizontal, for Store Doors, 8 inch,	294
Rim Knob, Upright, for Narrow Stile Doors, 3½ inch, Two-Bolt,	236
Rim Knob, Upright, 4½ inch, Two-Bolt, 12 and 24 changes,	238-240
Rim Knob, Upright, 4⅝ inch, Three-Bolt, 12 and 24 changes,	241-243
Rim Knob, Upright, 4¼ inch, Two-Bolt, 12 changes,	237
Rim Knob, Upright, 4½ inch, Two-Bolt, 12 and 24 changes,	244-246
Rim Knob, Upright, 4½ inch, Three-Bolt, 12 and 24 changes,	247-249
Rim Knob, Upright, 5 inch, Two-Bolt, 12 and 24 changes,	250, 251
Rim Knob, Upright, 5 inch, Three-Bolt, 12 and 24 changes,	252, 253
Rim Knob, Upright, 6 inch, Two-Bolt, 24 changes,	254
Rim Knob, Upright, 6 inch, Three-Bolt, 24 changes,	255
Rim Knob, Upright, Master Keyed, 4⅝ inch, Two-Bolt, 24 changes,	259
Rim Knob, Upright, Master Keyed, 4⅝ inch, Three-Bolt, 24 changes,	259
Rim Knob, Upright, Master Keyed, 5½ inch, Three-Bolt, 50 changes,	260
Rim Knob, Upright, for Front Doors, 4¾ inch,	256, 257
Rim Knob, Upright, for Front Doors, 6 inch,	258

M

MASTER KEYED MORTISE KNOB LOCKS,	
3½ inch, 24 changes, Flat Front,	28-30
3½ inch, 50 changes, Flat Front,	34-36
4 inch, 24 changes, Flat Front,	31-33
4½ inch, 50 changes, Flat Front,	37-39
Three-Bolt, 4½ inch, 50 changes,	40-42
Three-Bolt, 5 inch, 50 changes,	43-45
Three-Bolt, 5 inch, 50 changes,	46-49
5 inch, 1800 changes,	50-53
MASTER KEYED UPRIGHT RIM KNOB LOCKS,	
Two-Bolt, 4⅝ inch, 24 changes,	259
Three-Bolt, 4⅝ inch, 24 changes,	259
Three-Bolt, 5½ inch, 50 changes,	260
MORTISE BOLT KNOBS,	384

	PAGE
MORTISE KEYS, Classified List of, . . . . .	343-349
Illustrations of, . . . . .	338-342
MORTISE STRIKERS, Classified List of, . . . . .	350-363
MORTISE THUMB BOLTS, . . . . .	212, 213

## N

NIGHT LATCHES, Mortise, $3\frac{1}{4}$ inch, . . . . .	198-201
Mortise, $3\frac{3}{8}$ inch, . . . . .	202, 203
Horizontal Rim, $3\frac{5}{8}$ inch, . . . . .	295
Horizontal Rim, $3\frac{3}{4}$ inch, . . . . .	297
Horizontal Rim, 4 inch, . . . . .	296
Horizontal Rim, 4 inch, with Cylinder, . . . . .	298
Horizontal Rim, $4\frac{1}{2}$ inch, with Cylinder, . . . . .	299
NOISELESS AXLE PULLEYS, . . . . .	437, 438

## P

PADLOCKS, . . . . .	304
PARLIAMENT BUTTS, . . . . .	412
PICTURE KNOBS, . . . . .	364
PLATE ESCUTCHEONS, . . . . .	305-313
PLATES, Letter Box, . . . . .	433, 434
Push, . . . . .	435, 436
Sash, . . . . .	417
PULLS, Bell, . . . . .	389-397
Bell, Gong, . . . . .	399, 401
Bell, Lever, . . . . .	398, 400
Drawer, . . . . .	424-426
Window, . . . . .	420
PULLEYS, Axle, Anti-Friction, . . . . .	439-441
Axle, Noiseless, . . . . .	437, 438
PUSH BUTTONS, Electric, . . . . .	402, 403
PUSH PLATES, . . . . .	435, 436

## R

RAIL, Sliding-Door, . . . . .	442
RIM KEYS, Classified List of, . . . . .	343-349
Illustrations of, . . . . .	338-342
RIM STRIKERS, Classified List of, . . . . .	350-363
ROSE AND ESCUTCHEON COMBINED, . . . . .	321-337

## S

SASH FASTENERS, . . . . .	421, 422
SASH HOOKS, . . . . .	419
SASH LIFTS, Flush, . . . . .	416, 417
Hook, . . . . .	415
Surface, . . . . .	420
SASH PLATES, . . . . .	417
SASH SOCKETS, . . . . .	417
SCREEN DOOR KNOBS, . . . . .	367, 381
SHEAVES, Sliding-Door, . . . . .	442
SHUTTER BARS, . . . . .	414
SHUTTER BUTTS, . . . . .	413
SHUTTER FLAPS, . . . . .	413
SHUTTER KNOBS, . . . . .	364, 418
SLIDING-DOOR HANGERS, . . . . .	443

SLIDING-DOOR MORTISE LATCHES,	
Astragal Front, . . . . .	192, 193
Flat Front, . . . . .	190, 191
Flush, Astragal Front, . . . . .	74-77
Flush, Flat Front, . . . . .	70-73

SLIDING-DOOR MORTISE DEAD LOCKS,	
Flat Front, . . . . .	66

SLIDING-DOOR MORTISE LOCKS,	
Astragal Front, . . . . .	67-69
Flat Front, . . . . .	62-65
Flush, Astragal Front, . . . . .	90-97
Flush, Flat Front, . . . . .	78-89

SLIDING-DOOR RAIL, . . . . .	442
------------------------------	-----

SLIDING-DOOR SHEAVES, . . . . .	442
---------------------------------	-----

SLIDING-DOOR STOPS, . . . . .	442
-------------------------------	-----

SOCKETS, Sash, . . . . .	417
--------------------------	-----

STOPS, Sliding-Door, . . . . .	442
--------------------------------	-----

STORE DOOR HANDLES, . . . . .	230-235
-------------------------------	---------

STORE DOOR MORTISE DEAD LOCKS,	
3 inch, Flat Front, . . . . .	214-217
3 inch, Rabbeted Front, . . . . .	218-221

STORE DOOR MORTISE LOCKS,	
with Latch Combined, $4\frac{1}{4}$ inch, Flat Front, . . . . .	222-225

STORE DOOR MORTISE LOCKS,	
with Latch Combined, $4\frac{1}{4}$ inch, Rabbeted Front, . . . . .	226-229

STORE DOOR RIM DEAD LOCKS,	
Horizontal, 5 inch, . . . . .	291
Horizontal, 6 inch, . . . . .	291
Horizontal, 7 inch, . . . . .	292
Horizontal, 8 inch, . . . . .	292
Upright, 4 inch, . . . . .	286
Upright, 5 inch, . . . . .	287
Upright, $5\frac{1}{2}$ inch, . . . . .	288

STORE DOOR RIM DEAD LOCKS,	
Upright, $5\frac{1}{2}$ inch, with Cylinder, . . . . .	290
Upright, 6 inch, . . . . .	289

STORE DOOR RIM KNOB LOCKS,	
Horizontal, 6 inch, . . . . .	293
Horizontal, 7 inch, . . . . .	294
Horizontal, 8 inch, . . . . .	294

SPINDLES, Swivel, . . . . .	363
-----------------------------	-----

STRIKERS, Anti-Friction, . . . . .	172
Rim and Mortise, Classified List of, . . . . .	350-363

SURFACE DRAWER HANDLES, . . . . .	426
-----------------------------------	-----

SURFACE SASH LIFTS, . . . . .	420
-------------------------------	-----

SWIVEL SPINDLES, . . . . .	363
----------------------------	-----

## T

T CRANK KNOBS, . . . . .	387, 388
--------------------------	----------

T HANDLES, Flush Cup, . . . . .	100, 103
---------------------------------	----------

THUMB BOLTS, Mortise, . . . . .	212, 213
---------------------------------	----------

THUMB BOLT MORTISE LATCHES, . . . . .	194-197
---------------------------------------	---------

THUMB BOLT MORTISE LOCKS, . . . . .	24-27
-------------------------------------	-------

THUMB KNOBS AND PLATES, . . . . .	57, 58
-----------------------------------	--------

URNS, Cupboard, . . . . .	423
---------------------------	-----

TURNBUCKLE KNOBS, . . . . .	385
-----------------------------	-----

TURNBUCKLE MORTISE LATCHES, . . . . .	178, 179
---------------------------------------	----------

## U

	PAGE
UPRIGHT FRONT DOOR RIM KNOB LOCKS,	
4 $\frac{3}{4}$ inch,	256, 257
6 inch,	258
UPRIGHT RIM DEAD LOCKS,	
for Store Doors, 4 inch,	286
for Store Doors, 5 inch,	287
for Store Doors, 5 $\frac{1}{2}$ inch,	288
for Store Doors, 5 $\frac{1}{2}$ inch, with Cylinder,	290
for Store Doors, 6 inch,	289
UPRIGHT RIM KNOB LATCHES,	
3 $\frac{1}{4}$ inch, with Slide Bolt,	301
UPRIGHT RIM KNOB LOCKS,	
for Narrow Stile Doors, 3 $\frac{1}{2}$ inch, Two-Bolt,	236
4 $\frac{1}{8}$ inch, Two-Bolt, 12 and 24 changes,	238-240
4 $\frac{1}{8}$ inch, Three-Bolt, 12 and 24 changes,	241-243
4 $\frac{1}{4}$ inch, Two-Bolt, 12 changes,	237
4 $\frac{1}{2}$ inch, Two-Bolt, 12 and 24 changes,	244-246
4 $\frac{1}{2}$ inch, Three-Bolt, 12 and 24 changes,	247-249
5 inch, Two-Bolt, 12 and 24 changes,	250, 251
5 inch, Three-Bolt, 12 and 24 changes,	252, 253
6 inch, Two-Bolt, 24 changes,	254
6 inch, Three Bolt, 24 changes,	255
for Front Doors, 4 $\frac{3}{4}$ inch,	256, 257


	PAGE
UPRIGHT RIM KNOB LOCKS,	
for Front Doors, 6 inch,	258
UPRIGHT RIM KNOB LOCKS,	
Master Keyed, 4 $\frac{1}{8}$ inch, Two-Bolt, 24 changes,	259
Master Keyed, 4 $\frac{1}{8}$ inch, Three-Bolt, 24 changes,	259
Master Keyed, 5 inch, Three-Bolt, 50 changes,	260

## V


VESTIBULE MORTISE NIGHT LATCHES,	
3 $\frac{3}{4}$ inch, Flat Front, Straight Spindle,	107-113
3 $\frac{3}{4}$ inch, Rabbeted Front, Straight Spindle,	115-121
4 inch, Rabbeted Front, Straight Spindle,	137-141
4 $\frac{1}{8}$ inch, Flat Front, Straight Spindle,	129-135
4 $\frac{1}{4}$ inch, Flat Front, Swivel Spindle,	143-147
4 $\frac{1}{4}$ inch, Rabbeted Front, Swivel Spindle,	149-153
4 $\frac{1}{2}$ inch, Flat Front, Swivel Spindle,	155-159
4 $\frac{1}{2}$ inch, Rabbeted Front, Swivel Spindle,	161-165
4 $\frac{1}{2}$ inch, Large Flat Front, Swivel Spindle,	167-171

## W

WINDOW CATCHES, French,	423
WINDOW PULLS,	420



No. 1715.



No. 5715.

BRONZE METAL FRONT  
 REVERSIBLE LEVER MORTISE KNOB LOCKS.

Size, 3½ × 3¼ inches.

WROUGHT IRON INSIDE WORK.

**24 CHANGES.**

ORIENTAL DESIGN.

No.	<i>DESCRIPTION.</i>
1715	Bronze Metal Front, Bolts and Strike, Nickel-Plated Steel Key, ONE WROUGHT Tumbler.

IVY DESIGN.

No.	<i>DESCRIPTION.</i>
5715	Bronze Metal Front, Bolts and Strike, Nickel-Plated Steel Key, ONE WROUGHT Tumbler.

We can furnish the above Locks with two or three Tumblers when specially ordered.

Packed half dozen in paper boxes.

*BRONZE METAL ESCUTCHEONS SUITABLE FOR LOCKS No. 1715 :*


PLATE ESCUTCHEONS—Nos. 2542, 2742.      DROP ESCUTCHEONS—Nos. 2546, 2746.      ROSE AND ESCUTCHEON COMBINED—Nos. 2660, 2860, 5660, 5860.

*BRONZE METAL ESCUTCHEONS SUITABLE FOR LOCKS No. 5715 :*

PLATE ESCUTCHEONS—Nos. 2942, 2944, 3144.      DROP ESCUTCHEONS—Nos. 2946, 2948, 3148.      ROSE AND ESCUTCHEON COMBINED—Nos. 3060, 3260, 6060, 6260.

Steel Key Blanks for above Locks are class No. 262.





MORTISE STORE DOOR LOCK AND LATCH COMBINED.  
 — FOR —  
 DOUBLE HANDLES,  
 BRONZE METAL

No.  
 6336

BRONZE METAL DOUBLE HANDLES FOR LOCKS NOS. 5086 AND 5088.  
 Packed two in a paper box, with Locks as ordered.

IVY DESIGN.  
 Size, 14 x 2 1/2 inches.

DESCRIPTION:  
 Locks Nos. 5086 and 5088.



No. 2600.  
Bronze Metal.



No. 2800.  
Bronze Metal.



No. 3000.  
Bronze Metal.



No. 3200.  
Bronze Metal.

BRONZE METAL, BRANFORD AND IRON BRONZED,  
ROSE AND ESCUTCHEON COMBINED.

WITH REGULAR SPINDLE AND SIDE KNOB SCREW.

FOR  $3\frac{1}{2}$  AND  $3\frac{3}{4}$  INCH FRENCH WINDOW LOCKS.

ORIENTAL AND IVY DESIGNS.

The following numbers are the same size and design as No. 2600: Nos. B2600, 02600.

The following numbers are the same size and design as No. 2800: Nos. B2800, 02800.

SCREWLESS SPINDLE.

BRONZE METAL, BRANFORD AND IRON BRONZED,  
ROSE AND ESCUTCHEON COMBINED.

FOR  $3\frac{1}{2}$  AND  $3\frac{3}{4}$  INCH FRENCH WINDOW LOCKS.


ORIENTAL AND IVY DESIGNS.

The following numbers are the same size and design as No. 2600: Nos. 5600, B5600, 05600.

The following numbers are the same size and design as No. 2800: Nos. 5800, B5800, 05800.

No. 6000 is the same size and design as No. 3000.

No. 6200 is the same size and design as No. 3200.



No. 2327.

BRONZE METAL, BRANFORD AND IRON BRONZED  
DOOR KNOBS.

FIVE-SIXTEENTHS INCH PLAIN SPINDLE.

BRONZE METAL DOOR KNOBS.

MORTISE.

No.	DIAMETER OF KNOB.	DESCRIPTION.
2327	2¼ inch.	Bronze Metal Knobs, Round Roses.

BRANF'D BRONZED DOOR KNOBS.

MORTISE.

No.	DIAMETER OF KNOB.	DESCRIPTION.
B2327	2¼ inch.	Branford Bronzed Knobs, Round Roses


IRON BRONZED DOOR KNOBS.

MORTISE.

No.	DIAMETER OF KNOB.	DESCRIPTION.
O2327	2¼ inch.	Iron Bronzed Knobs, Round Roses.



No. 2320 and 2350.



Nos. 2324 and 2354.

BRONZE METAL DOOR KNOBS.

MORTISE.


No.	DIAMETER OF KNOB.	DESCRIPTION.
2320	2¼ inch.	Bronze Metal Knobs, Round Roses.
2350	2¼ × 2½ inch.	Bronze Metal Knobs, Round Roses.
2324	2¼ inch.	Bronze Metal Knobs, Round Roses.
2354	2¼ × 2½ inch.	Bronze Metal Knobs, Round Roses.

All the above Nos. are packed half dozen in paper boxes.


The above 2¼ inch Nos. are spindled to extend from 1¼ to 2¼ inches.

The above 2½ inch Nos. are spindled to extend from 1¾ to 2¾ inches.

All the above Nos. can be spindled any length desired.



No. 3330.



No. 3332.

## BELL PULLS.

BRONZE METAL, BRANFORD AND IRON BRONZED.

No.	DIAMETER OF KNOB.	DESCRIPTION.	No.	DIAMETER OF KNOB.	DESCRIPTION.
3330	2 inch.	Bronze Metal Knob and Base.	3332	2 inch.	Bronze Metal Knob and Base.
B3330	2 inch.	Branford Bronzed Knob and Base.	B3332	2 inch.	Branford Bronzed Knob and Base.
O3330	2 inch.	Iron Bronzed Knob and Base.	O3332	2 inch.	Iron Bronzed Knob and Base.

All the above Nos. are packed quarter dozen in paper boxes.