### ILLUSTRATED AND DESCRIPTIVE CATALOGUE AND PRICE LIST

# HARDWARE, TOOLS,

## \* FIC.\*

### BUILDERS' HARDWARE.

NASHUA LOCK COMPANY,

PAGES 1 TO 272, INCLUSIVE.

LOCKWOOD MANUFACTURING CO.,

PAGES 301 TO 348, INCLUSIVE.

DIBBLE MANUFACTURING CO.,

PAGES 361 TO 374, INCLUSIVE.

AMERICAN SCREW COMPANY,

PAGES 375 TO 388, INCLUSIVE.

PAGES 375 TO 388, INCLUSIVE.

NEW ENGLAND BUTT CO.,
PAGES 349 TO 360, INCLUSIVE.

HOBART B. IVES & COMPANY,
PAGES 389 TO 392, INCLUSIVE.

PAGES 389 TO 392, INCLUSIVE.

PAGES 393 TO 399, INCLUSIVE.

### TOOLS.

WOODROUGH & CLEMSON, SAWS, ETC., PAGES 401 TO 428, INCLUSIVE.

UNDERHILL EDGE TOOL CO.,

HENRY CHENNEY HAMMER CO.,
PAGES 463 TO 472, INCLUSIVE.

C. J. KIMBALL & SON,
KNIVES AND SCREW DRIVERS, PAGES 480

ARCADE FILE WORKS,

PAGES 473 TO 477, INCLUSIVE.

E TOOL CO.,
PAGES 473 TO 477, INCLUSIVE.

BRATTLEBORO TOOL COMPANY,

PAGES 478 AND 479.

AND SCREW DRIVERS, PAGES 480 TO 483, INCLUSIVE.

### CASTERS.

YALE CASTER COMPANY,
PAGES 485 TO 492, INCLUSIVE.

FULL AND COMPLETE STOCKS OF THE ABOVE LINES CARRIED IN WAREHOUSE OF

NASHUA LOCK COMPANY,

NO. 36 PEARL STREET, - BOSTON, MASS., U.S.A.

OCTOBER 1st. 1886.

### INDEX.

| A  | BLACKSMITHS' HAND HAMMERS,                       |
|--|--|
| ADZE EYE HAMMERS, 465 to 469, 472  | BLACKSMITHS' SHOULDER PEIN HAM-                  |
|  | MERS, 469  |
| ADZES, Carpenter and Ship,   | BLADES, Beef Splitters,                          |
| " Coopers' and Gutter,   | " Butcher Saw,                                   |
| ANTI-FRICTION LATCH, Reversible (Patented),  | " Curriers'                                      |
|  | " Hack Saw, 419                                  |
| Description of,  | " Kev-Hole and Compass                           |
| AXE PATTERN HATCHETS,  | BLIND FASTENERS, "Shedd's," 272                  |
| AXE WEDGES, Etc.,  | BLIND FASTENERS, "Shedd's,"                      |
| AXES, Chopping, all patterns, 432 to 443   | BLOCK PLANES ("Steer's Patent"), 478             |
| " Chopping, Double Bit,  | BLOCK AND CARRIAGE RIVETS, 384A                  |
| " Chopping, Handled,   | BOLTS, Flush, Bronze Metal, 17                   |
| " Boys', Handled,  | " Flush, Extension Stop, Bronze Metal, . 18      |
| " Broad  | " Mortise Door, Burglar Proof ("Ives'            |
| " Broad,   | Patent,") 391                                    |
| " Fireman's, Handled,  | " Mortise, Front or Inside Door, . 88, 313       |
| " Ice,   | " Sink, 380                                      |
|  | " Sleigh Shoe and Tire, 382                      |
| В  | " Stove,   |
| Management of the second of th | BOX OPENERS,                                     |
| BACK SAWS, 418   | BOYS' AXES, Handled,                             |
| BAND SAW BLADES,   | BRAD HAMMERS,                                    |
| BAND SAW FILES,  | BREAD KNIVES, 482                                |
| BARRELLING HATCHETS,   | BRICK HAMMERS, 455                               |
| BARS, Shutter,   | BRICK TROWELS, 426                               |
| BASE KNOBS,  | BROAD AXES,                                      |
| BEEF SPLITTERS,  | BROAD HATCHETS, 452                              |
| BELL CHECK SPRINGS AND SPIKES, . 15  | BUCKS, Saw,                                      |
| BELL CRANKS,   | BUFFERS, Round and Square Point, 481             |
| BELL LEVERS,   | BURRS, Swedes Iron,                              |
|  | BUSH HOOKS,                                      |
| " Bronze Metal, Plain, 239, 240, 241, 345 " Glass,   | BUTCHER KNIVES, 482                              |
| " Jet, Mineral, and Porcelain, 236, 243  | BUTCHER SAWS, 419, 420                           |
| BELLS, House, on Carriages,  | BUTCHERS' BROAD AXES, 460                        |
| BELT RIVETS AND BURRS,   | BUTCHER'S CLEAVERS,                              |
| BENCH PLANES ("Steer's Patent"),   | BUTTS, Fast Joint, Broad and Narrow, Cast, . 350 |
| BEVELS, Flush and Sliding T, 427   | Loose Folit, Doston Finish, Acorn, Ban           |
| BILL HOOKS,  | and Steeple Tips,                                |
| BILLET WEBS,   | Those some, broad and Warrow, Cast,              |
| BITS, Extension ("Steer's Patent"), 479  | Loose John, Dionze Metal, Ornamental,            |
| ( with the state of the state o | 33, 34, 35                                       |

| PAGE.  | PAGE  |
|--|---|
| BUTTS, Loose Joint, Bronze Metal, Plain, 31, 32, 34  | COACH SCREWS, 386                                   |
| " Loose Joint, Bronze Plated, Ball Tips, . 357   | COD SPLITTING KNIVES, 482                           |
| Loose Joint, Japanned, Acorn Tips, . 355   | COMBINATIONS, Front and Vestibule Doors, 246 to 261 |
| " Loose Joint, Japanned, Ball Tips, , 356  | COMPASS SAWS, 418                                   |
| Loose Joint, Japanned, Steeple Tips, . 354   | COOPERS' ADZES,                                     |
| " Loose Joint, Japanned, Plain,  | COOPERS' RIVETS,                                    |
|  | CORN KNIVES,  |
|  | CRANK HANDLES AND KNOBS, 244                        |
| Transfer of the same and the sa | CRANKS, Bell,                                       |
|  | CROSS CUT SAW HANDLES, 411                          |
| and Steeple Tips,  |   |
| Parliament, Bronze Metal, Ornamental, 36   | CROSS CUT SAWS, 410 to 412                          |
| " Parliament, Bronze Metal, Plain, 36  | CROSS FILES, 475                                    |
| " Parliament, Japanned, Acorn, Ball and  | CUP AND T HANDLES, Flush, 82                        |
| Steeple Tips,  | CUPS, Flush, for Sliding Doors,                     |
| " Parliament, Japanned, Plain, 358   | CURRIERS' BLADES,                                   |
| Parliament, Light and Heavy, Cast, . 358   | CUTTERS, for Saw Gummer's,                          |
| " Shutter, Bronze Metal, 16  | " for Steer's Extension Bits, 479                   |
|  | " Slaw and Krout, 425                               |
| C  | " Tobacco,  |
|  |   |
| CABINET FILES, 476   | D   |
| CABINET RASPS, 476   |   |
| CABINET SCRAPERS, 425  | DEAD LOCKS, Mortise, 2 inch, 89                     |
| CANT BLUNT FILES, 475  | " Mortise, 2 <sup>3</sup> inch, 89                  |
| CANT SAW FILES, 477  | · Mortise, 3\( \frac{3}{8} \) inch, 90, 314         |
| CARPENTERS' ADZES, 458   | " Mortise, Cabin Door, 150                          |
| CARPENTERS' SLICKS, 456  | " Mortise, Sliding Door, 150                        |
| CARRIAGE IRONERS' HAMMERS, 471   | " Mortise, Store Door, 27 inch, . 92                |
| CARRIAGES, Bell, Steel Spring, 15  | " Mortise, Store Door, 34 inch, . 91                |
| CASTERS, Bracket, Bedstead, 488  | " Mortise, Store Door, Rabbeted,                    |
| " Gem Pattern, 490, 491  | 2½ inch, 93   |
| " Gem Pattern, Brass, 492  | " Mortise, Store Door, Reversible,                  |
| " Gem Truck, 491   | Rabbeted, $2\frac{7}{8}$ inch, 94                   |
| " Yale Pattern, 486 to 489   | " Mortise, Store Door, Reversible,                  |
| CHECK SPRINGS, Spiral,   | Rabbeted, 3\(\frac{3}{4}\) inch, 94                 |
| CHISELS, Deck,   | " Rim, Horizontal, 23 inch 174                      |
| " Framing,   | Rim, Horizontal, $2\frac{7}{8}$ inch, 329           |
| " Ice,   | Rim, Horizontal, 3 inch, 174                        |
| CHOPPERS, Hand,  | Rim, Horizontal, 31 inch, 329                       |
| CHOPPING AXES,   |   |
| CIGAR KNIVES,  | Itimi, Horizontai, og men 170, 000                  |
| CIRCULAR SAW MANDRELS,   | Itilit, Horizontai, Tilei, . 110, 551               |
|  | Tim, Totaloutin, Store Door,                        |
| CIRCULAR SAWS,   | 5 inch, 176, 332                                    |
| CLASSIFIED LIST OF ESCUTCHEONS, 2, 304   | " Rim, Horizontal, Store Door,                      |
| CLASSIFIED LIST OF FLUSH CUP ESCUTCH-  | 6 inch,   |
| EONS,  | " Rim, Horizontal, Store Door,                      |
| CLASSIFIED LIST OF KEYS, . 4, 269, 303   | 7 inch,   |
| CLASSIFIED LIST OF ROSE AND ESCUTCH-   | Rim, Horizontal, Store Door,                        |
| EONS COMBINED, 3, 304  | 8 inch, 177   |
| CLASSIFIED LIST OF STRIKERS, 5, 303  | " Rim, Upright, Store Door, 4 inch, 178             |
| CLAW HATCHETS, 449   | " Rim, Upright, Store Door, 41 inch, 333            |
| CLEAVERS, Butchers' 460  | " Rim, Upright, Store Door, 5 inch,                 |
| CLOSET KNOBS, 195  | 179, 333  |
|  |   |

| PAGE.   | PAGE,   |
|---|---|
| DEAD LOCKS, Rim, Upright, Store Door, 6 inch, 179 | ESCUTCHEONS, Drop, Bronze Metal, . 39, 305  |
| DECK CHISELS, 456                                 | " Drop, Hemacite, 372   |
| DESCRIPTION AND PRICE OF FINISHES, . 1            | " Drop, Porcelain, 63   |
| DESCRIPTION OF KEY LOCKING STOP,                  | " Flush Cup, Bronze Metal and   |
| Front Door Locks and Vestibule Latches, . 12      | Brass, 65, 66, 308  |
| DESCRIPTION OF N KNOBS, ROSES AND                 | " Flush Cup, Ornamental Iron, 64  |
| ROSE AND ESCUTCHEONS COMBINED, 8, 9               | " Plate, Bronze Metal, 40,41,305, 372   |
| DESCRIPTION OF PATENTED REVERSIBLE                | " Plate, Hemacite, 372  |
| ANTI-FRICTION LATCH, 11                           | " Plate, Nickel Plated and Iron,  |
| DESCRIPTION OF PATENTED REVERSIBLE                | " Plate, Porcelain, 63  |
| RABBETED LOCKS AND LATCHES, . 6, 7                |   |
| DESCRIPTION OF PATENTED STEEL SWIV-               | EXTENSION BIT CUTTERS, 479  |
| EL SPINDLE AND REVERSIBLE SWIV-                   | EXTENSION BITS (Steer's Patent), 479  |
| EL SPINDLE HUBS,                                  |   |
| DOOR FENDERS,                                     | F   |
| DOOR KNOBS, Bronze Metal, Jet, Mineral and        | FACTORY KNIVES, 481   |
| Porcelain, 197 to 222, 344, 366                   | FARRIERS' ADZE EYE AND PLAIN HAM-   |
| " Glass,  | MERS,   |
| " Hemacite, 361 to 371 " Ornamental Iron, 211     | FAST JOINT CAST BUTTS,  |
| DOOR STOPS, for Sliding Doors,                    | FASTENERS, "Shedd's" Blind, 272   |
| DOUBLE END TAPER SAW FILES,                       | FEDERAL MANUFACTURING CO.'S ADZE  |
| DOUBLE KEY HOLE ESCUTCHEONS,                      | EYE HAMMERS, 472  |
| 48, 49, 63, 305                                   | FENDERS, Door,  |
| DRAG SAWS,  | FILE RASPS, 476   |
| DRAWER KNOBS, Hemacite,                           | FILES, Band Saw,  |
| DRAWER PULLS,                                     | " Cabinet, 476  |
| DRAWING KNIVES,                                   | " Cant Blunt, 475   |
| DRIVERS, Folding Steel Screw,                     | " Cant Saw, 477   |
| " Screw, Solid Steel, Flat and Round              | " Cross,  |
| Handles, 483                                      | " Double End Taper Saw, 477   |
| DROP ESCUTCHEONS, Bronze Metal, . 39, 305         | " Equalling, 475  |
| " Hemacite, 372                                   | " Feather Edge, 475   |
| " Porcelain, 63                                   | " Flat, 474, 476  |
|   | " Ginsaw,   |
| E   | " Half Round, 475, 476  |
|   | " Hand, 474   |
| EAGLE MANUFACTURING CO.'S ADZE EYE                | " High Back, 475  |
| HAMMERS, 472                                      | " Hook Tooth,   |
| EDGER SAWS,                                       | " Knife, 475  |
| ENGINEERS' BALL PEIN HAMMERS, . 471               | " Mill Saw,   |
| EQUALLING FILES, 475                              | " Pillar,   |
| ESCUTCHEONS AND ROSE COMBINED, for                | " Pit Saw,  |
| Front Door Locks, 55 to 62, 307                   | " Round,  |
| ESCUTCHEONS AND ROSE COMBINED, for                | " Round Gulleting, 477  |
| Mortise Knob Locks, 42 to 47                      | " Round Off,  |
| ESCUTCHEONS AND ROSE COMBINED, for                | " Slotting,   |
| "N" Knobs,  | " Square,   |
| ESCUTCHEONS AND ROSE COMBINED, for                | " Taper Saw,  |
| Vestibule Latches, 50 to 54, 306                  | Time oquare.  |
| ESCUTCHEONS, Classified List, 2, 3, 304           | ( in the second |
| " Double Key Hole, Outside,                       |   |
| 48, 49, 63, 305                                   | FINISHES, Description and Price of, 1   |

| PAGE.   | PAGE.  |
|---|--|
| FIREMAN'S AXES, Handled, 445                    | HAMMERS, Machinists' Ball Pein, 470  |
| FLAPS, Shutter,                                 | " Machinists' Chipping, 471  |
| FLUSH BOLTS, 17, 18                             | " Plain Farriers', 468   |
| FLUSH CUP ESCUTCHEONS, . 64, 65, 66, 308        | " Plain Nail. 467  |
| FLUSH CUPS, for Sliding Doors, 15               | " Plain Riveting,  |
| FLUSH CUP AND T HANDLES, 82                     | " Tinners' Paneing, 471  |
| FLUSH PULLS, for Sliding Doors, 37, 38          | HAND CHOPPERS, 425   |
| FLUSH SASH LIFTS,                               | HAND-FILES, 474  |
| FLUSH T AND SLIDING T BEVELS, 427               | HAND RAIL SCREWS,  |
| FRAMED WOOD SAWS, 421, 422                      | HAND SAWS,   |
| FRAMING CHISELS,                                | HAND SCREWS,   |
| FRONT DOOR LOCKS, Mortise, 118 to 137, 322, 324 | HANDLED AXES,  |
| FRONT AND VESTIBULE DOOR LOCK AND               | HANDLES Comb   |
| LATCH COMBINATIONS, 246 to 261                  | HANDLES, Crank,  |
| ERICH COMBINATIONS, 240 to 201                  | " Obligue T and Knobs 244  |
|   | Conque I and Knoos, 244  |
| G   | Saw, Cross Cut, 411  |
| G   | Saw, Hand,   |
| GANG SAWS, 409                                  | " Store Door, with Lift Latch, Bronze  |
| GAUGES, Diameter of Wire, 388                   | Metal, Ornamental, 19  |
| " Saw, 402, 407                                 | " Store Door, with Lift Latch, Bronze  |
| GEM CASTERS, 490 to 492                         | Metal, Plain, 28   |
| GEM STOVE TRUCK,                                | " Store Door, Mortise Latch, Bronze  |
| GIN SAW FILES,                                  | Metal, Ornamental, 19, 20, 21  |
| GLASS BELL PULLS,                               | " Store Door, Mortise Latch, Bronze  |
| GLASS DOOR KNOBS,                               | Metal, Plain, 28   |
| GLASS DOOR KNODS,                               | " Store Door, Mortise Latch and Lock,  |
| GLASS FLUSH CUPS,                               | Bronze Metal, Ornamental, 23 to 27   |
| CROONING CIRCULAR SATES                         | " Store Door, Mortise Latch- and Lock,   |
| GROOVING CIRCULAR SAWS, 404                     | Bronze Metal, Plain, . 29, 30  |
| GUMMERS, Saw ("Mixter's" Patent) 407            | HATCHETS, Axe Pattern,   |
| GUTTER ADZES,                                   | " Barrelling,  |
|   | " Broad,   |
| 1.1   | " Claw,  |
| H   | " Half Shingling,  |
| HACK SAW BLADES, 419                            |  |
| HACK SAWS,                                      | trait bininging, traines bond Steel, 446   |
| HALF ROUND FILES, 475, 476                      | 100,   |
| HALIBUT KNIVES,                                 |  |
| HAME RIVETS,                                    | The state of the s |
| HAMMER SAW SETS (Aiken's Pattern), 407          | Third is a second of the secon |
|   | " Lathing, Underhill, Solid Steel, . 450   |
| HAMMERS, Adze Eye Farriers',                    | " Shingling, 447, 448  |
| 1100 Life 1101, 100 to 101, 112                 | " Shingling, Haines', Solid Steel, . 448   |
| nuse Lye, Latent Ivan Holder, . 400             | HEEL KNIVES, 481   |
| " Adze Eye Riveting, 469                        | HEMACITE KNOBS, ESCUTCHEONS AND  |
| " Blacksmiths' Hand, 469                        | SHUTTER KNOBS, 361 to 374  |
| " Blacksmiths' Shoulder Pein, 469               | HINGES, "Shedd's" Blind, 272   |
| " Brad, 468                                     | HOOK TOOTH FILES, 477  |
| " Brick, 455                                    | HOOKS, Bill,   |
| " Carriage Ironers', 471                        | " Bush, 461  |
| " Eagle Manufacturing Co.'s, Adze Eye, 472      | " Sash Pull Down, 14A  |
| " Engineers' Ball Pein, 471                     | HORSE RASPS, 477   |
| " Federal Manufacturing Co.'s, Adze             | HUBS, Reversible Swivel Spindle, Description of, 10  |
| Eye, 472  | To The state of th |
|   |  |

|   | PAGE.  |
|---|--|
| Lives -   | KNOBS, Door, Bronze Metal, Plain,  |
| ICE AXES,   | 200 to 204, 206 to 210, 344, 366   |
| ICE CHISELS,  | " Door, Glass, Boston Pattern, Silvered, . 228   |
| ICE HATCHETS,   | " Door, Glass, Cut, Silvered, 231  |
| ICE SAWS  | " Door, Glass, Diamond Cut, 233  |
| ICE SAWS,   | " Door, Glass, Lined,  |
| IRON PLANES, ("Steer's Patent,")                                    | " Door, Glass, Octagon, 224, 225, 227  |
| IRON RIVETS IN BULK,  | " Door, Glass, Octagon Cut, 232  |
| IVES' MORTISE DOOR BOLTS (Patented), 391                            | " Door, Glass, Plain,  |
| IVES' SASH LOCKS (Patented), 390                                    | " Door, Glass, Plain Ball Cut, 234   |
|   | " Door, Glass, Plain Silvered Centre, . 230  |
| V   | " Door, Glass, Union, Silvered, 229  |
| K   | " Door, Hemacite,  |
| KEY LOCKING STOP FRONT DOOR LOCKS                                   | " Door, Iron, Ornamental, 211  |
| AND VESTIBULE LATCHES, Description of, 12                           | " Door, Jet,   |
| KEYS, Brass, 264 to 267, 347  | " Door, Mineral,   |
| " Classified List, 4, 269, 303                                      | " Door, "N," Description of, 8, 9  |
| " Illustration of,  | " Door, Oblique T Handle,  |
| " Iron,   |  |
| " Steel,  | Door, 1 orcelain,  |
| KEYHOLE SAW BLADES,   | Licture, Hemacite,   |
| KEYHOLE SAWS,   | Shutter, Bronze Metal, 250   |
| KITCHEN SAWS,   | Shutter, Glass, 200  |
|   | Shutter and Drawer, Hemacite, . 313, 314   |
| KNIFE FILES,  | " Turnbuckle, . ,  |
| KNIVES, Apple,  | KROUT CUTTERS, 425   |
|   |  |
| Dunets, 401   |  |
| Dutcher,  |  |
| " Cigar,  |  |
| " Cod Splitting, 482  | LATCH, Anti-Friction, Reversible (Patented), De-   |
| " Corn,   | scription of,  |
| " Drawing, 483  | LATCHES, Mortise Knob, 67 to 69, 309   |
| " Factory,  | " Mortise Night, 70, 71  |
| " Halibut,  | " Rim Knob, 83 to 85, 310  |
| " Heel, 481   | " Rim Night, 86, 87, 311, 312  |
| " Kitchen,  | " Sliding Door, Brass and Bronze Metal, 82   |
| " Mackerel Splitting, 482   | " Store Door, Lift and Handle, Bronze  |
| " Mincing, 425  | Metal, Ornamental, 19  |
| " Saw,  | " Store Door, Lift and Handle, Bronze  |
| " Set Back,   | Metal, Plain, 28   |
| " Shoe, 480, 481  | " Store Door, Mortise and Handle,  |
| " Skinning, 482   | Bronze Metal, Ornamental, 19 to 21   |
|   | Bronze Metal, Ornamental, 19 to 21   |
| " Skiver, Round and Square Point, . 481                             | " Store Door, Mortise and Handle,  |
| " Skiver, Round and Square Point, . 481 " Sole Leather, Curved, 481 |  |
|   | " Store Door, Mortise and Handle,<br>Bronze Metal, Plain, 28   |
| " Sole Leather, Curved, 481   | " Store Door, Mortise and Handle,<br>Bronze Metal, Plain, 28   |
| " Sole Leather, Curved,   | "Store Door, Mortise and Handle, Bronze Metal, Plain, 28 "Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27  |
| " Sole Leather, Curved,   | " Store Door, Mortise and Handle, Bronze Metal, Plain, 28 " Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27 " Store Door, Mortise Lock and Handle,   |
| " Sole Leather, Curved,   | " Store Door, Mortise and Handle, Bronze Metal, Plain, 28 " Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27 " Store Door, Mortise Lock and Handle, Bronze Metal, Plain, . 29, 30   |
| "Sole Leather, Curved,  | "Store Door, Mortise and Handle, Bronze Metal, Plain, 28 "Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27 "Store Door, Mortise Lock and Handle, Bronze Metal, Plain, 29, 30 "Vestibule, P.S., Brass, Bronze Metal,                                   |
| "Sole Leather, Curved,  | "Store Door, Mortise and Handle, Bronze Metal, Plain, 28  "Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27  "Store Door, Mortise Lock and Handle, Bronze Metal, Plain, . 29, 30  "Vestibule, P.S., Brass, Bronze Metal, Plain and Ornamental Iron, . |
| "Sole Leather, Curved,  | "Store Door, Mortise and Handle, Bronze Metal, Plain, 28 "Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental,   |
| "Sole Leather, Curved,  | "Store Door, Mortise and Handle, Bronze Metal, Plain, 28 "Store Door, Mortise Lock and Handle, Bronze Metal, Ornamental, 23 to 27 "Store Door, Mortise Lock and Handle, Bronze Metal, Plain, 29, 30 "Vestibule, P.S., Brass, Bronze Metal, Plain and Ornamental Iron,        |

| PAGE.  | TOOMS  | PAGE.  |
|--|--------|--|
| LATCHES, Vestibule, S.S., Brass, Bronze Metal,   | LOCKS, | Mortise Front Door, 4 <sup>a</sup> / <sub>4</sub> inch, P.S., Brass,   |
| Plain and Ornamental Iron, 74, 75, 77  |        | Bronze Metal, Plain and Ornamental   |
| " Vestibule, S.S., Rabbeted, Brass and   |        | Iron, 119, 322, 324  |
| Bronze Metal, 81   |        | Mortise Front Door, 4 <sup>8</sup> inch, S.S., Anti-   |
| " Vestibule, S.S., Reversible, Rabbeted,   |        | Friction Latch, Brass, Bronze Metal,   |
| Brass, Bronze Metal and Orna-  |        | Plain and Ornamental Iron, . 121   |
| mental Iron,   | 188    | Mortise Front Door, 43 inch, S.S., Anti-   |
| LATHING HATCHETS, 449 to 451   |        | Friction Latch, Rabbeted, Brass and  |
| LASTMAKERS' RASPS, 476   |        | Bronze Metal, 125  |
| LEVERS, Bell, Bronze Metal, 242  | 41     | Mortise Front Door, 43 inch, S.S., Anti-   |
| LIFTS, Flush Sash, Bronze Metal, 14  |        | Friction Latch, Reversible, Rabbeted,  |
| " Hook Sash, Bronze Metal, 14  |        | Brass, Bronze Metal and Ornamental   |
| " Hook Sash, Ornamental Iron, 14   |        | Iron, 123  |
| LOCK AND LATCH COMBINATIONS, Front   | 44     | Mortise Front Door, 51 inch, P.S., Brass,  |
| and Vestibule Doors,   |        | and Bronze Metal, 127  |
| LOCKS AND LATCHES, with Key Locking Stop,  | -44    | Mortise Front Door, 51 inch, S.S., Anti-   |
| Description of,  |        | Friction Latch. Brass and Bronze   |
| LOCKS, Mortise Dead, 2 inch, Brass and Iron, . 89  |        | Metal, 129   |
| " Mortise Dead, 23 inch, Brass, Bronze   | 44     | Mortise Front Door, 51 inch, S.S., Anti-   |
| Metal and Iron, 89   |        | Friction Latch, Rabbeted, Brass and  |
| " Mortise Dead, 3% inch, Brass, Bronze   |        | Bronze Metal, 133  |
| Metal and Iron, 90   | -44    | Mortise Front Door, 51 inch, S.S., Anti-   |
| " Mortise Dead, 3½ inch, Brass, Bronze   |        | Friction Latch, Reversible, Rabbeted,  |
| Metal and Iron,  |        | Brass and Bronze Metal, 131  |
|  | -66    | Mortise Front Door, 6 inch, S.S., Anti-  |
|  |        |  |
| mornio Denni, Chang Door,  |        | Friction Latch, Brass and Bronze Metal,  |
| " Mortise Dead, Store Door, 27 inch, Brass   | 14     | Mortise Front Door, 6 inch, S.S., Anti-  |
| and Bronze Metal, 92   |        |  |
| " Mortise Dead, Store Door, 33 inch, Brass,  | 10.    | Friction Latch, Reversible, Rabbeted,  |
| Bronze Metal and Iron, 91  | -      | Brass and Bronze Metal, 135  |
| " Mortise Dead, Store Door, Rabbeted, 27   | **     | Mortise Front Door, 7 inch, S.S., Anti-  |
| inch, Brass and Bronze Metal, . 93   |        | Friction Latch, Bevelled, Brass and  |
| " Mortise Dead, Store Door, Reversible,  | 100    | Bronze Metal,  |
| Rabbeted, 27 inch, Brass and Bronze  | in.    | Mortise Knob, French Window and  |
| Metal,   |        | Narrow Stiles, 95, 96  |
| " Mortise Dead, Store Door, Reversible,  | **     | Mortise Knob, French Window and  |
| Rabbeted, 34 inch, Brass and Bronze  |        | Narrow Stiles, Rabbeted, 96  |
| Metal, 94  | -11    | Mortise Knob, 3½ inch, Brass and Iron,   |
| " Mortise Flush Sliding Door, Single, Flat   |        | 98, 99, 100, 102, 103, 316, 317  |
| Front, Brass and Bronze Metal,   | 44.    | Mortise Knob, 3½ inch, Easy Spring,  |
| 152 to 157, 326  |        | Brass and Bronze Metal, 101  |
| " Mortise Flush Sliding Door, Single, Flat   | -44    | Mortise Knob, 3½ inch, Easy Spring, Or-  |
| Front, Ornamental Iron, 153, 155, 326  |        | namental Iron, 101   |
| " Mortise Flush Sliding Door, Double, Flat   | 44.    | Mortise Knob, $3\frac{1}{2}$ inch, Brass Ship, . 104   |
| Front, Brass and Bronze Metal, 159 to 161  | 44     | Mortise Knob, 33 inch, Brass, Bronze   |
| 163 to 165, 327  |        | Metal and Ornamental Iron, . 105   |
| " Mortise Flush Sliding Door, Double, Flat   | 44     | Mortise Knob, 33 inch, Anti-Friction   |
| Front, Ornamental Iron, 158, 162, 327  |        | Latch, Brass, Bronze Metal and Or-   |
| " Mortise Flush Sliding Door, Double,  |        | namental Iron, 106   |
| Astragal Front, Brass and Bronze   | -64    | Mortise Knob, 4 inch, Brass and Iron,  |
| Metal, 167, 168, 170, 171, 328   |        | 107, 108, 111, 112, 318  |
| " Mortise Flush Sliding Door, Double,  | 44     | Mortise Knob, 4 inch, Brass and Iron,  |
| Astragal Front, Orna'l Iron, 166, 169, 328   |        | Thin Doors, 110  |
| Otto Samuel County Coun |        | The second secon |


|        | F  | PAGE.  |  | PAGE.   |
|--------|--|--|--|---|
| LOCKS, | Mortise Knob, 4 inch, Easy Spring, Brass   |  | LOCKS,   | Mortise Knob, 41 inch, Three Bolts, Re-       |
|        | and Bronze Metal,                          | 109  |  | versible, Rabbeted, Brass, Bronze             |
| 44     | Mortise Knob, 4 inch, Brass, Bronze        |  |  | Metal, Plain and Ornamental Iron, 139         |
|        | Metal and Ornamental Iron, .               |  | 44   | Mortise Knob, Refrigerator, . 97, 315         |
| 44     | Mortise Knob, 4 inch, Anti-Friction Latch, | 100000   | 44   | Mortise Knob, 5 inch, Sliding Door,           |
|        | Brass, Bronze Metal and Ornament-          |  |  | Brass, Flat and Astragal, 151                 |
|        | al Iron,                                   |  | 44   | Reversible, Rabbeted Fronts (Patented),       |
| 111    | Mortise Knob, 4½ inch, Brass and Bronze    |  |  | Description of, 6, 7                          |
|        | Metal, 115, 319,                           |  | **   | Rim Dead, Horizontal, 2 <sup>8</sup> inch 174 |
| 44     | Mortise Knob, 41 inch, Anti-Friction       |  | 44   |   |
|        |  |  | 44   | Rim Dead, Horizontal, 27 inch, 329            |
| iii    | Latch, Brass and Bronze Metal, .           | 2.34/  | 44   | Rim Dead, Horizontal, 3 inch, 174             |
|        | Mortise Knob, 4½ inch, Plain and Orna-     |  | 44   | Rim Dead, Horizontal, 34 inch, 329            |
| 100    | mental Iron, 319,                          | The second second  |  | Rim Dead, Horizontal, 3½ inch, . 175, 330     |
| **     | Mortise Knob, 51 inch Heavy, Anti-         |  | **   | Rim Dead, Horizontal, 4 inch, . 175, 331      |
|        | Friction Latch, Brass and Bronze           |  | 44   | Rim Dead, Horizontal, Store Door, 5 inch,     |
| 10     | Metal,                                     | 147  |  | 176, 332                                      |
| it.    | Mortise Knob, 6 inch Heavy, Anti-Friction  | 2.26   | **   | Rim Dead, Horizontal, Store Door, 6 inch, 332 |
| 44     | Latch, Brass and Bronze Metal, .           |  | **   | Rim Dead, Horizontal, Store Door, 7 inch, 177 |
| 44     | Mortise Knob, 7 inch Heavy, Anti-          |  | 16   | Rim Dead, Horizontal, Store Door, 8 inch, 177 |
|        | Friction Latch, Brass and Bronze           | 200  | 68   | Rim Dead, Upright, Store Door, 4 inch, 178    |
|        |  | 149  | **   | Rim Dead, Upright, Store Door, 41 inch, 333   |
| 46     | Mortise Knob, Master Keyed, 4 inch,        | and the second second  | ++   | Rim Dead, Upright, Store Door, 5 inch,        |
|        | Brass and Bronze Metal, . 141,             |  |  | 179, 333                                      |
| 12     | Mortise Knob, Master Keyed, 4 inch,        |  | 44   | Rim Dead, Upright, Store Door, 6 inch, 179    |
|        | Anti-Friction Latch, Brass and Bronze      |  | **   | Rim Knob, Horizontal, $4\frac{1}{8}$ inch 334 |
|        |  | 142  | **   | Rim Knob, Horizontal, 4 and 44 inch, 180, 181 |
| 44     | Mortise Knob, Master Keyed, 4 inch,        |  | 44   | Rim Knob, Horizontal, 5 inch, . 182, 336      |
|        |  | 141  | 85   | Rim Knob, Horizontal, Store Door, 6 inch, 338 |
| 44     | Mortise Knob, Master Keyed, 4 inch, Anti-  |  | 4.8  | Rim Knob, Horizontal, Store Door, 7 and       |
|        | Friction Latch, Ornamental Iron,           |  |  | 8 inch, 184                                   |
| 11     | Mortise Knob, Master Keyed, 41 inch,       |  | 9.6  | Rim Knob, Horizontal, Three Bolts, 41/8       |
|        | Brass and Bronze Metal,                    | 140  |  | inch,   |
| 4+     | Mortise Knob, Master Keyed, 41 inch,       |  | ++   | Rim Knob, Horizontal, Three Bolts, 41         |
|        | Anti-Friction Latch, Brass and Bronze      |  |  | inch,   |
|        | Metal,                                     | 144  | 44   | Rim Knob, Horizontal, Three Bolts, 5          |
| 44     | Mortise Knob, Master Keyed, 5 inch,        |  |  | inch, 183, 337                                |
|        | Anti-Friction Latch, Brass and Bronze      |  | 15   | Rim Knob, Upright, 4 inch, . 185, 339         |
|        | Metal,                                     | 145  | 4.6  | Rim Knob, Upright, 41 inch, 186, 189, 340     |
| 44)    | Mortise Knob, Master Keyed, 51 inch,       |  | ++   | Rim Knob, Upright, 41 inch, 187, 190, 342     |
|        | Three Bolts, Brass,                        | A SHARE OF S | ++   | Rim Knob, Upright, 5 inch, 190                |
| 44.    | Mortise Knob, 41 inch, Rabbeted, Brass,    |  | 44   | Rim Knob, Upright, Ornamental Iron, . 193     |
|        | Bronze Metal and Iron,                     | and the same of th | 44   | Rim Knob, Upright, Three Bolts, 41 inch,      |
| 0      | Mortise Knob, 41 inch, Rabbeted, Anti-     |  |  | 188, 191, 341                                 |
|        | Friction Latch, Brass and Bronze           |  | 44   | Rim Knob, Upright, Three Bolts, 41 inch,      |
|        | Metal,                                     | 173  |  | 188, 192, 343                                 |
| 44     | Mortise Knob, 41 inch, Reversible, Rab-    |  | 44   | Rim Knob, Upright, Three Bolts, 5 inch, 192   |
|        | beted, Brass and Bronze Metal, .           |  | 44   | Rim Knob, Upright, Three Bolts, Orna-         |
| -44-   | Mortise Knob, 6 inch Heavy, Anti-Friction  | Control of the Contro |  | mental Iron, 194                              |
|        | Latch, Reversible, Rabbeted, Brass         |  | **   | Sash ("Ives' Patent"), 390                    |
|        | and Bronze Metal,                          | 148  |  | JOINT BRONZE METAL BUTTS, 31 to 35            |
| - 11   | Mortise Knob, 41 inch, Three Bolts, Brass, |  |  | JOINT CAST BUTTS, 351, 352, 354 to 357        |
|        | Bronze Metal, Plain and Ornamental         | 1  |  | PIN BRONZE METAL BUTTS, 33                    |
|        | Iron,                                      | 139  |  | PIN CAST BUTTS, 353                           |
|        |  | 2.500  | and the same of th |   |

| M  | PIECES Thunk  |
|--|---|
| DACE   | PIECES, Thumb,  |
| MACHINE SCREW NUTS,                                | PILLAR FILES,   |
| MACHINE SCREW TAPS,                                | PIT SAWS  |
| MACHINE SCREWS, Brass and Iron, 379                | PIT SAWS,   |
| MACHINIST BALL PEIN HAMMERS, . 470                 | PLANES, Block, Fore, Jack, Jointer and Smooth   |
| MACHINIST CHIPPING HAMMERS, 471                    | ("Steer's Patent"), 478   |
| MACKEREL SPLITTING KNIVES, 482                     | PLASTERING TROWELS,   |
| MANDRELS, Circular Saw, 406                        | PLATE ESCUTCHEONS, Hemacite,  |
| MATTOCKS, Short and Long Cutter and Pick, 459      | " Metal, 40, 41, 305, 372   |
| MILL SAW FILES, 474                                | " Metal, 40, 41, 305, 372<br>" Porcelain, 63  |
| MILL SAWS,   | PLATES, Name and Letter Box Combined, . 13  |
| MITER BOX SAWS,                                    | " Sash,   |
| MITER SQUARES,                                     | POINTED WIRES,  |
| MITERING RODS                                      | POINTING TROWELS,   |
| MORTISE BOLTS, for Front and Inside Doors, 88, 313 | PORK PACKERS' SAWS, 420   |
| " ("Ives' Patent"), 391                            | PRUNING SAWS,   |
| MULAY SAWS,  | " Double-Edge, 419  |
|  | PULLS, Bell, Bronze Metal, Ornamental, . 238, 345   |
| NI.  | " Bell, Bronze Metal, Plain, 239 to 241, 345  |
| N  | " Bell, Glass,  |
| NAIL HAMMERS, Adze Eye and Plain,                  | " Bell, Mineral, Porcelain and Jet, . 236, 243  |
| 465 to 467, 472                                    | " Drawer,   |
| NAII. HOLDING HAMMERS, Adze Eye (Pat-              | " Flush Sliding Door, 37, 38  |
| ented),  | " Sash,   |
| NAILS, Steel Wire,                                 |   |
|  |   |
| NAME AND LETTER BOX PLATES COM-                    | R   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILBOAD ADORES   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         " File,       476         " Horse,       477         " Lastmakers',       476         " Shoe,       476         " Wood,       476  |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412  |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397         REGISTER BORDERS AND FACES,       395 to 398         REGISTER BORDERS, Soapstone,       398   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES, 457 RAILROAD PICKS, 459 RASPS, Cabinet 476 "File, 476 "Horse, 477 "Lastmakers', 476 "Shoe, 476 "Wood, 476 "Wood, 476 RATES FOR REPAIRING, Circular Saws, 404 "Cross Cut Saws, 412 "Mill Saws, 408 "Mulay Saws, 409 REGISTERS AND VENTILATORS, 395 to 397 REGISTER BORDERS AND FACES, 395 to 398 REGISTER BORDERS, Soapstone, 398 REGISTERS, Dimensions of, 399 REVERSIBLE RABBETED FRONTS (Patented), Description of, 6, 7 RIP SAWS, 414 to 417, 428 RIVETS, Block and Carriage, 3844   |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397         REGISTER BORDERS AND FACES,       395 to 398         REGISTER BORDERS, Soapstone,       398         REGISTERS, Dimensions of,       399         REVERSIBLE RABBETED FRONTS (Patented),       Description of,       6, 7         RIP SAWS,       414 to 417, 428         RIVETS, Block and Carriage,       384a         "Coopers' and Trunk,       385a  |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397         REGISTER BORDERS AND FACES,       395 to 398         REGISTER BORDERS, Soapstone,       398         REGISTERS, Dimensions of,       399         REVERSIBLE RABBETED FRONTS (Patented),       Description of,       6, 7         RIP SAWS,       414 to 417, 428         RIVETS, Block and Carriage,       384a         "Coopers' and Trunk,       385a         "Hame, Belt and Burrs,       385a                                    |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397         REGISTER BORDERS AND FACES,       395 to 398         REGISTER BORDERS, Soapstone,       398         REGISTERS, Dimensions of,       399         REVERSIBLE RABBETED FRONTS (Patented),       Description of,       6, 7         RIP SAWS,       414 to 417, 428         RIVETS, Block and Carriage,       384a         "Coopers' and Trunk,       385a         "Hame, Belt and Burrs,       385a         "Iron, in Bulk,       384a |
| NAME AND LETTER BOX PLATES COMBINED,               | RAILROAD ADZES,       457         RAILROAD PICKS,       459         RASPS, Cabinet       476         "File,       476         "Horse,       477         "Lastmakers',       476         "Shoe,       476         "Wood,       476         RATES FOR REPAIRING, Circular Saws,       404         "Cross Cut Saws,       412         "Mill Saws,       408         "Mulay Saws,       409         REGISTERS AND VENTILATORS,       395 to 397         REGISTER BORDERS AND FACES,       395 to 398         REGISTER BORDERS, Soapstone,       398         REGISTERS, Dimensions of,       399         REVERSIBLE RABBETED FRONTS (Patented),       Description of,       6, 7         RIP SAWS,       414 to 417, 428         RIVETS, Block and Carriage,       384a         "Coopers' and Trunk,       385a         "Hame, Belt and Burrs,       385a                                    |

| PAGE.  | T  |
|--|--|
| SHOE KNIVES, 480, 481  | The state of the s |
| SHOE RASPS, 476  | TABLES, Circular Saw, 406  |
| SHUTTER BARS, Bronze Metal, 16                                 | TAPER SAW FILES, 477   |
| SHUTTER BUTTS, Bronze Metal, 16                                | TAPPED NUTS,   |
| SHUTTER FLAPS, Bronze Metal, 16                                | TABLED NOTS,   |
| SHUTTER KNOBS, Bronze Metal, 235                               | TAPS, Machine Screw,   |
| " Glass,   | T BEVELS, Flush and Sliding, 427   |
| " " Hemacite, 373, 374   | T HANDLE AND KNOBS, 244  |
| SINK BOLTS,  | T HANDLE AND KNOBS, 244 THOUSAND RIVETS,   |
|  | THOUSAND RIVETS, Dimensions of, 385A   |
| SKINNING KNIVES,   | THREE SQUARE FILES, 475  |
| SKIVER KNIVES, Round and Square Point, . 481                   | THREE SQUARE FILES,  |
| SLAW CUTTERS, 425  | THUMB PIECES,  |
| SLEIGH SHOE BOLTS,   | TINNERS' PANEING HAMMERS 471   |
| SLICKS, Carpenters'  | TIRE BOLT NUTS,  |
|  | TIRE BOLTS 382   |
| SLIDING DOOR FLUSH CUP ESCUTCHEONS,                            | TORACCO CUTTERS 15   |
| 64 to 66, 308  | TOBACCO CUTTERS,   |
| SLIDING DOOR FLUSH CUPS, 15                                    | TROWELS Dried Dried and Distance 406   |
| SLIDING DOOR FLUSH LOCKS, 152 to 171                           | TROWELS, Brick, Pointing and Plastering, . 426 TRUCK CASTERS, "Gem," 491   |
| 326 to 328   | TRUCK CASTERS, "Gem,   |
| SLIDING DOOR KNOB LOCKS, 151                                   | TRUCKS, Stove "Gem."   |
| SLIDING DOOR LATCHES, 82                                       | TRUNK RIVETS,  |
| SLIDING DOOR PULLS, Flush,                                     | TRY SQUARES, 427   |
|  | TURNBUCKLE KNOBS,  |
| SLIDING DOOR STOPS, 270, 308                                   |  |
| SLIDING T AND FLUSH T BEVELS, 427                              |  |
| SLOTTING FILES, 475  | TIDODWO D. H.  |
| SOAPSTONE BORDERS, for Registers, 398                          | UPSETS, "Boss,"  |
| SOLE LEATHER SHOE KNIVES, 481<br>SPIKES, Bell, Malleable Iron, | " "Mixters" Double, 407  |
| SPIKES, Bell, Malleable Iron,                                  |  |
| SPINDLES, Common,  | V  |
| " Swivel,  | VENEERING SAWS, 406  |
| SPLITTERS, Beef,   | VENTILATORS AND REGISTERS, . 395 to 397  |
| SPLITTING KNIVES, Cod and Mackerel, . 482                      | VESTIBULE LATCHES, Mortise, 72 to 81, 323, 325   |
| SPRINGS, Bell Check,   | VESTIBULE LATURES, Mortise, 12 to 61, 525, 525   |
| " Spiral,  | VA/  |
| SQUARE FILES,  | W  |
| SQUARES, Miter,  | WALL SCRAPERS, 425   |
|  | WARDING FILES, 474   |
| " Try,   | WEBS SAW, Fay, Felloe, Power and Turning, . 413  |
| STEAK KNIVES,  | WEBS BILLET,   |
| STEEL SPRING BELL CARRIAGES, 15                                | WEDGES, Axe, Hatchet and Hammer Handle, . 271  |
| STEEL WIRE NAILS,  | WIRE GAUGE, Diameters, 388   |
| STEER'S PATENT EXTENSION BITS, 479                             | WIRES, Pointed,  |
| STEER'S PATENT IRON PLANES, 478                                | A STATE OF THE STA |
| STRIKERS, Lock, Classified List, 5, 303                        | WOOD FILES,  |
| STORE DOOR HANDLES, with Locks and                             | WOOD RASPS,  |
| Latches, 19 to 30  | WOOD SAW FRAMES, 424   |
| STOVE BOLT NUTS,   | WOOD SAWS, Framed, 421, 422  |
| STOVE BOLTS, Flat and Round Head, 381                          | WOOD SCREWS, Brass and Iron, 376, 377  |
| STOVE TRUCKS, "Gem," 490                                       | " Nickel Plated, Brass and Iron, 378   |
| SWEDES IRON BURRS,   |  |
| SWIVEL SPINDLES AND HUBS (Patented),                           | Y  |
|  | YALE CASTERS, 486 to 489   |
| Description of, 10   | TALE CASTERS, 400 to 489   |
|  |  |

### ORNAMENTAL BRONZE METAL STORE DOOR HANDLES AND ESCUTCHEONS.


WITH MORTISE LOCK.



No. 251 Handle, with 2314 Lock. No. 250 Single Handle, same size and design. Length of Plate, 15 inches. Length of Lock Front, 7 inches. For description, see opposite page. Nos. 240, 242, and 243 Handles, on pages 19, 20, and 21, same design, with Plates 11 inches in length.

### BRONZE METAL ROSE AND ESCUTCHEONS COMBINED.


FOR ALL 5 1-2 INCH FRONT DOOR AND OTHER 5 1-2 INCH MORTISE KNOB LOCKS.



For description of those with N affixed to numbers, see page 8.

When ordering for Locks without night work, BE PARTICULAR TO STATE NUMBER OF LOCK DESIROUS OF MATCHING.

Those with N affixed to numbers, one dozen; all others, half dozen in a box, with Screws. Furnished in Brass to order.



No. 707.

For description and prices of Finishes, see page 1.

No. 859.


| NO.          | Per Doz. | NO.            | Per Doz. | FI | NISHES. |     |   |
|--------------|----------|----------------|----------|----|---------|-----|---|
| 707<br>707 N | 900      | × 859<br>859 N | str      | 3  | 4 4     | 5 5 | 6 |

# PATENTED FRONT DOOR MORTISE KNOB LEVER LOCKS.

REVERSIBLE.

WITH SWIVEL SPINDLE HUB AND ANTI-FRICTION LATCH.

STEEL TUMBLERS. PATENT STEEL KEYS, NICKEL PLATED.



Nos. 5206 S.S., 5226 S.S., 5227 S.S., and 5228 S.S.

For 5-16 inch Patent Steel Swivel Spindle.

To reverse, take off Cap and BE PARTICULAR TO TURN OVER BOTH LATCH AND HUB.

For description, see opposite page.

### BRONZE METAL KNOBS.

ORNAMENTAL BRONZE METAL N ROSES.







No. 210 N.

No. 215 N.

Nos. 9050 to 9054.

Above Roses are suitable for all Ornamental Bronze Metal N Knobs, see page 196.

Knobs with letter N affixed to numbers are listed without Roses.

For description and prices of Finishes, see page 1.

### 9040.

#### DESCRIPTION.

| NO.      | DIAMETER.                   |                 | KNOBS.                      | SHANKS. ROSES. |                                    | SPINDLES, | 1 |    |     |    |    |   |             |
|----------|-----------------------------|-----------------|-----------------------------|----------------|------------------------------------|-----------|---|----|-----|----|----|---|-------------|
| Mortise. | Knobs, Inches.              | Shanks, Inches. | A.HOBS.                     | BHANAS.        | ROSES.                             | Inches.   |   | FI | NIS | HE | 8. |   | Per Doz.    |
| X 9050   | 21x21                       | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Ornamental<br>Bronze Metal, Round. | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | Str - Str   |
| 9050 N   | 24x24                       | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Without Roses.                     | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | u           |
| × 9052   | $2\frac{1}{2}x2\frac{1}{4}$ | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Ornamental<br>Bronze Metal, Round. | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | ruhn - mire |
| 9052 N   | $2\frac{1}{2}x2\frac{1}{4}$ | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Without Roses.                     | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | и           |
| 9054     | $2\frac{1}{2}x2\frac{1}{2}$ | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Ornamental<br>Bronze Metal, Round. | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | ntal-nau    |
| 9054 N   | 2½x2½                       | 11-16           | Ornamental<br>Bronze Metal. | Bronze Metal.  | Without Roses.                     | 5-16      | 1 | 2  | 3   | 4  | 5  | 6 | и           |

Furnished in Brass to order.

Those with N affixed to numbers, half dozen in a box, without Roses; all others, quarter dozen in a box complete, with Roses and Screws.

For illustration and full description of Knobs with letter N affixed to numbers, see page 8.

For illustration of Roses suitable for N Knobs, see page 196.

All Knobs for inside doors extend from 1½ to 2 inches. All Knobs for outside doors extend from 1½ to 2½ inches.


All N Knobs for outside doors are packed with Swivel Spindles, which can also be used with solid Hubs.

Knobs for doors of greater thickness, or to use with Rim Locks, furnished to order.

IMPORTANT: ALL OF OUR N KNOBS HAVE 11-16 INCH SHANKS, AND WILL FIT ANY OF OUR N ROSES AND N ROSE AND ESCUTCHEONS COMBINED.

### FRONT AND VESTIBULE DOOR COMBINATIONS.

POLISHED BRASS AND ORNAMENTAL BRONZE METAL FRONTS. ORNAMENTAL BRONZE METAL TRIMMINGS.





No. 859.


#### DIBBLE MANUFACTURING CO.


### HEMACITE DOOR KNOBS.

ORNAMENTAL BRONZE METAL N ROSES.

EASTLAKE.







No. 210 N.

No. 215 N.

No. 1101.

Above Roses are suitable for all N Knobs having Bronze Metal Mountings, see page 196.

Knobs with letter N affixed to numbers are listed without Roses.

For description and prices of Finishes, see page 1.

#### DESCRIPTION.

| NO       | NOS. DIAMETER. |                   | Western Company    | SPINDLES.                | -             |                                    |         |   |    |     |    |    |   |            |
|----------|----------------|-------------------|--------------------|--------------------------|---------------|------------------------------------|---------|---|----|-----|----|----|---|------------|
| Mortise. | Rim.           | Knobs,<br>Inches. | Shanks,<br>Inches. | KNOBS.                   | SHANKS.       | ROSES.                             | Inches. |   | FI | NIS | HE | S. | 1 | Per Dozen. |
| 1101     | 1201           | 21x21             | 10-16              | Seal Brown,<br>Hemacite. | Bronze Metal. | Ornamental Bronze Metal,<br>Round. | 5-16    | 1 | 2  | 3   | 4  | 5  | 6 | \$18 00    |
| 1101 N   |                | 21x21             | 11-16              | Seal Brown,<br>Hemacite. | Bronze Metal. | Without Roses.                     | 5+16    | 1 | 2  | 3   | 4  | 5  | 6 | 18 00      |
| 1100     | 1200           | 21x21             | 10-16              | Ebony,<br>Hemacite.      | Bronze Metal. | Ornamental Bronze Metal,<br>Round. | 5-16    | 1 | 2  | 3   | 4  | 5  | 6 | 18 00      |
| 1100 N   |                | 21x21             | 11-16              | Ebony,<br>Hemacite.      | Bronze Metal. | Without Roses,                     | 5-16    | 1 | 2  | 3   | 4  | 5  | 6 | 18 00      |

Those with N affixed to numbers, one dozen in a box, without Roses; all others, half dozen in a box complete, with Roses and Screws.

For illustration and full description of Knobs with letter N affixed to numbers, see page 8.

For illustration of Roses suitable for N Knobs, see page 196.

All Mortise Knobs extend from 11 to 2 inches; Rim, from 12 to 21 inches.

Knobs for Doors of greater thickness furnished to order.

Will furnish any Escutcheons desired, illustrated and described on pages 39, 40, 41 and 372.

IMPORTANT: ALL OF OUR N KNOBS HAVE 11-16 INCH SHANKS, AND WILL FIT ANY OF NASHUA N ROSES AND N ROSE AND ESCUTCHEONS COMBINED.