Supplement No. 1.

MARCH, 1894.

+

# MORWALK CO.

## LOCKS AND BUILDERS' HARDWARE,

Designers, Founders, Workers of Artistic House Trimmings in Bronze, Brass and Iron.

MANUFACTORY AND PRINCIPAL OFFICE:

SOUTH NORWALK, CONNECTICUT, U. S. A.

New York Office, No. 82 Chambers Street.

BOSTON OFFICE, No. 200 Franklin Street.

CHICAGO OFFICE, No. 544 Unity Building,

BALTIMORE, 25 Hanover Street (Henry Keidel & Co.)

# = = INDEX. = =

B.

PAGE

BARS, S	SHUTTER,	181,	182
BELL I	EVERS,		145
BELL P	ULLS,		144
BELL P	USHES, Electric,	146 to	148
BELLS,	Door,		145
BOLTS,	Book Case,		161
**	Bottom,		160
	Chain,	161,	163
	Extension Flush,		165
11	Foot,		162
4.6	Indicator,		169
16	Mortise Door,		32
- 66	" Flush,		167
4.5	" and Latch Combined,		26
16	Square Case,		160
- 11	Surface Double Door,		
BORDE	RS, Letter Plate,		
BRACK	ETS, Hand Rail,		212
	Bronze Metal,		
11	Iron, 17	1 to 173.	177
	Shutter,		
66	Steel Wrought,		
	C.		
CATCHE	S, Cupboard,		202
66	Dumb Waiter,		
66	Elbow,		
44	French Window,		
46	Screen Door,		
	Transom,		
CENTRI	ES, Mirror,		
	, Transom,		
	S, Letter Box,		
A CONTRACTOR OF THE PARTY OF TH		2001	-


	E.	
TOOTIMO		PAGE
	HEONS, Drop,	
	riusii cup,	
	Plate,	
	and Roses Combined, Colonial,	
	manu Kenaissance,	
	Ornamental Bronze	
	Parace,	
	Plain Bronze,	
	Rope,	
	"Sunrise,"	137
	F.	
FASTEN	ERS, Cellar Window,	184
46	Chain Door,	164
44	Sash,	185
11	Shutter,	184
FIGURE	S, Bronze Metal,	214
FLAPS,	Shutter,	180
TEAMDER	H.	107
HANDL	ES, Drawer, Flush,	
- 11	Surface,	
	Store Door and Lift Latch,	
	Mortise Latch,	
	1,0CK,	
	Tee,	
	Hinge,	
	S, Shutter,	
HOURS,	Cabin Door,	210
	Hat and Coat,	And the second of the second
44	Hat Rack,	
41	Pull Down, Towel,	
**	Wardrobe,	
		210
	K.	
KEYS,		
KNOBS,	Door, Bronze Metal,	
	IIOII,	
	Jec,	
	WillClai,	
16-	Porcelain,	
	Mortise Bolt,	
41	Shutter, Thumb and Plates	143
	Inump and Plates	1/12

					I,.		PAC
LATCH	ES, Elev	vator s	Slidin	g Do	or,		25
**					Handles,		
		tise ar	id Bo	olt Co	mbined,		2
-66							
-11	*	K					
- 11		O.					
					r Knob,		
- 63		V	estibu	ıle,	80	0 to	12
- 44		ar	id St	ore D	oor Handle, 2	218,	21
11	Rim	Knob	, Ho	rizon	ta1,		
46	**	4.6			Combined, for W. C. Doors,		
**	66		t, Ho	rizon	tal	- 21	to
		**			Combined, for W. C. Doors,		
LIFTS,	Flush Sa	ish,			1	.86,	18
**							
	Surface	D - 0					189
LUCKS,	Mortise	Dead,				3 to	3
16	"				Door,		
11	11				80		
-11	-16	Hotel	9 :.	n o la			52
- 14		KHOD	91/	inch,	Plain Iron Pronts	- 39,	4(
66	44		31/2	HEH	Plain Iron Fronts,	40,	41
11	- 0	46	31/2		" " in Sets,	-	42
**	44		31/6	44	Plain Brass Fronts,		60
al.	- 11	44	31/2	11	" in Sets,	40,	41
- 14	14	66	31/2	44	Ornamental Bronze Fronts,	. 60,	10
-66	44	44	31/2	11	" " in Se	40,	40
16	11	4.6	31/2	11	Italian Renaissance Fronts	13,-	44
44	11	440	31/2	46	" " in Sets		
11	it	ii	31/4	46	Plain Bronze Fronts, 40, 41		
11	-11	44	31/2	11	" in Sets, 66, 70,		
41		14	334	16	Flat and Rabbeted Fronts,	1210	30
44	66	11	4	44	Plain Iron Fronts,		
46	-61	11	4	1.5	Ornamental Iron Fronts,		
111	16	- 66	4	-66	Plain Brass Fronts, 40,		
64-	14	66	4	44	Ornamental Bronze Fronts,		
44	44	16	4	66	Plain Bronze Fronts,		
110	16	***	4	44	" " Master Keyed,	49	51
44		11	4	44	" in Sets,		
15	-66	46	4	**	Italian Renaissance Fronts,		
46	- 11	11	4	66	" " in Col		

								E-O	Corn.
LOCKS,	Mortise	Knob,	41/4	inch,		Renaissance	e Fronts,		44
44	11	4.6	41/4	44	44		16	in Sets,_	68
44	16.6	- 66	41/4	66	Ornam	ental Bronze	e, Rabbete	d Fronts,	54
41	- 11	**	41/4		Plain B	ronze, Flat			
6	- 4	**	41/4	66	**		" in Set	s, 70, 72 to	078
4.6	- 6.6	**	41/4	6.6	11	" Rabb	eted Fron	its,	54
16	- 66	"	41/2	**		ronts			40
785	**	++	41/2	6.6		Renaissand			46
**	- 11	44	41/2	44	**	**		in Sets,-	69
-16	- 66	16	41/2	64		ental Bronz			43
11	184	**	41/2	44		Bronze, Flat			
12	4.6	**	41/2	4.6	11	11 11		1 Sets,_71,	
10	10	44	41/2	- "			beted Fro		
	**		5	44		Fronts,			
- 11			5	**	Italian	Renaissanc			
46	44	16	5	66				sets,_68,	
10	11	-11	5	**		ental Bronz			
44	- 1	46	5		Plain E	Bronze, Flat			
			5	41	**			ets, 70, 71	
46	1.	**	5	-				Keyed, 47	
44	46		5				0.1	Bolted, 51	
44		16	6	44		Rabi	beted From		
44	11	46.	6	16	Platii I	Bronze, Flat	beted Fro		
	44	Office.				ronts,			
66		omce,	5%	44		nd Rabbeted			
**	44				ct.	S,			
44.	46	Shan	g Do			3,			
34	46	and S	tore			3,			
11	Rim D								
-	11								
11	" F								18
11									
-16	**								
**	**	**	"			se			
44)	Tool C	hest,							
					P.				
DITTOMO	17	- Table 1							
PLATE	, Label	Por						150	193
***									
- 11									
- 11	16	11 -	nd c	ach 1	ock Co	mbined,			191
46	Duch	or Fina		asii I	LOCK CO				

					IAGE
PULLE	YS, A	x1e,			153
PULLS,	Bell,				144
11	Door.				154, 155
11	Draw	ег			194 to 196
	66	Dri	oroist	s'	193
16	Flush	Slidir	or Do	or,	149
11	Surfa	ce Sact	ig Do		189
PHEHR	C Tile	etric D	011		146 to 148
LUBILLY	s, Ele	CUIC D	C11,		
				R.	
DACTE	Manne	1		41.	913
RACKS,	Towe	D			151
RAIL, S	nding	Door,			107
RINGS,					
	Pull 1	Down,			191
				S.	
				e, "Colonial,"	
**	- 64	44	66	" Rabbeted,	121, 123
- (1	1.6	1.0	64	"Empire,"	107
44	- 66	66	14	"Italian Renaissance,"	82, 85
46		14	66	Ornamental Bronze,	80, 81
46	66	166	66	" Palace,"	83, 86
11	16	-66	- 66	Plain Bronze	87 to 91, 103, 105
ii.	ici.	44	-41	"Rope,"	
66	66	44		"Sunrise,"	
T	nside	Mortis	e "C	colonial,"	
- 0	11	110111		talian Renaissance,"	
11	44	- 11		namental Bronze,	
- 66	4	26	Ot.		65
**		44	11 T	alace,"	
16	14	- 11		in Bronze,	
16	- 16	- 66			
44	**	- 11		(ope,''	
				unrise,"	
SHEAV					
SOCKET	rs, Pu	ill Dov	vn,		191
				T.	
TOWEL	нос	KS,		•••	213
				se,	

## Mortise Knob Locks.



No.	SIZE. Inches.	DESCRIPTION.	PER
06433	3½×3¼	Ornamental Bronze Front and Striking Plate, Bronze Bolts, Nickel Plated Patent Steel Key, 1 Tumbler, 12 Changes, 2½ inches from Front of Lock to Centre of Keyhole	
06497	4×3½	Ornamental Bronze Front and Striking Plate, Bronze Bolts, Nickel Plated Patent Steel Key, 1 Tumbler, 24 Changes, 2¾ inches front Front of Lock to Centre of Keyhole	
X 06497		Same as No. 06497, with Anti-Friction Latch	
X 06503	11	Same as No. X 06497, with 3 Tumblers, 48 Changes	
06577	4½×3½	Ornamental Bronze Front and Striking Plate, Bronze Bolts, Nickel Plated Patent Steel Key, 1 Tumbler, 24 Changes, 234 inches from Front of Lock to Centre of Keyhole	
X 06577	**	Same as No. 06577, with Anti-Friction Latch	
X 06567	- 66	Same as No. X 06577, with 3 Tumblers, 48	
06605	5×3¾	Ornamental Bronze Front and Striking Plate, Bronze Bolts, Nickel Plated Patent Steel Key, 1 Tumbler, 24 Changes, 3 inches from Front of Lock to Centre of Keyhole.	
X 06605	5.6	Same as No. 06605, with Anti-Friction Latch	
X 06610	**	Same as No. X 06605, with 3 Tumblers, 48 Changes	







No. 7857

DISTANCE FROM FRONT OF LOCK TO CENTRE OF KEYHOLE:


No. 7858

Flat Fronts 2½ inches. Astragal Fronts 2½ inches.

No.	SIZE. Inches.	DESCRIPTION.	PER SET.
7217½	5½×35%	Flat Front for Single Doors.  Italian Renaissance Bronze Front and Striking Plate, Heavy Bronze Bolt and Flush Pull, Bronze Patent Extension Key, with Bronze Flush Cup Escutcheons Nos. 7857 or 7858.	
8217½	5½ × 35/8	Plain Bronze, same as No. 7217½, with Plain Bronze Flush Cup Escutcheons No. 8857, see page 62	
7217	5½×35%	Flat Fronts for Double Doors. Same as No. 721716, with Full Cased Strike	
8217	072 × 078	Same as No. 8217½, with Full Cased Strike	
		Astragal Fronts for Double Doors.	
7218	5½×4	Same as No. 7217, with Astragal Fronts	
8218		Same as No. 8217, with Astragal Fronts	

### Mortise Front Door Sets.

(For description, see opposite page.)



No. 8280



No. 8874 Escutcheon



No. 8951 Escutcheon No. 8664 Knob

## Ornamental Bronze Door Knobs.

 $\frac{5}{16}$  inch Spindle.

600	No.	SIZE. Inches.	DESCRIPTION.	PER DOZEN PAIR.
	086111/4	21/4 × 21/4	Ornamental Brouze Capped Knobs, with Round Roses	
W 00	08610	2¼×2¼	Ornamental Bronze with Round Roses	
3019	08612	2½×2¼	Ornamental Bronze with Round Roses	
0000				
	08713	21/4×21/4	Ornamental Bronze with Round Roses	
	08714	2½×2¼	Ornamental Bronze with Round Roses	
	7610 7612	2½×2½ 2½×2¼	Italian Renaissance with Round Roses Italian Renaissance with Round Roses	
Comment of the second		,		
	7601	2¼×2¼	Italian Renaissance with Round Roses	
	7602	2½×2¼	Italian Renaissance with Round Roses	
	2020			
3 32		21/4 × 21/4	"Palace" with Square Roses	
	8651 P	2½×2¼	"Palace" with Square Roses	

## Electric Bell Pushes.



No. 8803



No. 08802



No. 6801

No.	SIZE. Inches.	DESCRIPTION.	PER DOZEN.
8803	23% Round	Plain Bronze, Vulcanite Insulation	
6800	25/8 "	Ornamental Bronze, Wood Insulation	
6801	27/8 "	Ornamental Bronze, Vulcanite Insulation	
8800	27/8 "	Plain Bronze, same as No. 6801	
08802	45/8×13/4	Ornamental Bronze, Vulcanite Insulation	
8802	"	Plain Bronze, same as No. 08802	
6811	6×23/8	Ornamental Bronze, similar to No. 08802	